

Predicted XUV Line Intensities
CHIANTI database - Version 5.1

Calculated with Constant pressure= 1.00e+16 (cm⁻³ K)
50.0 to 149.9 Å

Number of lines: 755
Minimum intensity = 140.000
Units are: erg cm⁻² sr⁻¹ s⁻¹

Lines marked with a * do not have correspondent observed energy levels
and have approximate wavelengths.

Calculated: Wed Sep 14 15:00:14 2005

Ionization Fractions file: arnaud_raymond_ext.ioneq
ionization equilibrium: Arnaud, M., Rothenflug, R., 1985, AASS, 60, 425
Fe ionization equilibrium: Arnaud, M., Raymond, J.C., 1992, ApJ, 398, 39
Minor elements ionization equilibrium: Landini, M., Monsignori Fossi, B.C.,
1991, AASS, 91, 183

produced as part of the Arcetri/Cambridge/NRL 'CHIANTI' atomic data base
collaboration

Enrico Landi Jan 2003

Elemental Abundance file: cosmic.abund

elemental abundances: Allen, C.W., 1973, Astrophysical Quantities

produced as part of the Arcetri/Cambridge/NRL 'CHIANTI' atomic data base
collaboration

Enrico Landi Jun 2002

Minimum abundance = 1.58489e-08

Differential Emission Measure file: flare_ext.dem
filename: flare.dem

dem: Dere, K.P., Cook, J.W., 1979, ApJ, 229, 772

comment: composite of August 9 1553 and 1554 UT data of an M2 X-ray class
flare

comment: modifies at high temperature (7.3 to 8.0) by G.Del Zanna to
calculate
the emissivities of the hottest ions.

produced as part of the Arcetri/Cambridge/NRL 'CHIANTI' atomic data base
collaboration

K.P.Dere and G. Del Zanna - Aug 2002

Table 1: *Line List*

Ion	λ (Å)	Transition	T _{max}	Int
Ar XVI *	50.0105	1s ² 3d 2D _{5/2} - 1s ² 5f 2F _{7/2}	7.1	3.37e+02
Fe XV	50.1210	3s 3d 3D ₃ - 3s 5f 3F ₄	6.4	1.57e+02
Fe XVII *	50.1398	2s ² 2p ⁵ 3p 3D ₂ - 2s ² 2p ⁵ 4d 1D ₂	6.9	5.14e+02
Fe XVII	50.1535	2s ² 2p ⁵ 3p 3D ₂ - 2s ² 2p ⁵ 4d 3P ₁	6.9	2.56e+02
Fe XVII	50.1960	2s ² 2p ⁵ 3p 3D ₃ - 2s ² 2p ⁵ 4d 1F ₃	6.9	3.88e+02
Fe XVII *	50.2211	2s ² 2p ⁵ 3p 3D ₁ - 2s ² 2p ⁵ 4d 3F ₂	6.9	1.34e+03
Fe XVII *	50.2496	2s 2p ⁶ 3p 3P ₁ - 2s 2p ⁶ 4d 1D ₂	6.9	3.53e+02
Ni XVIII	50.2550	3p 2P _{1/2} - 4s 2S _{1/2}	6.7	2.30e+02
Fe XVII	50.2621	2s ² 2p ⁵ 3p 3D ₃ - 2s ² 2p ⁵ 4d 3F ₄	6.9	3.06e+03
Fe XVII *	50.3002	2s ² 2p ⁵ 3p 3P ₁ - 2s ² 2p ⁵ 4d 1P ₁	6.9	4.37e+02
Fe XVII *	50.3026	2s ² 2p ⁵ 3p 3D ₂ - 2s ² 2p ⁵ 4d 3P ₂	6.9	2.04e+02
Ne IX	50.3318	1s 2s 3S ₁ - 1s 5p 3P ₂	6.8	1.40e+02
Fe XVI	50.3610	3s 2S _{1/2} - 4p 2P _{3/2}	6.8	9.72e+03
Fe XVII *	50.4024	2s ² 2p ⁵ 3p 3D ₃ - 2s ² 2p ⁵ 4d 3D ₃	6.9	3.48e+02
Mg XI	50.4376	1s 2s 3S ₁ - 1s 3p 3P ₂	6.9	1.57e+03
Mg XI	50.4645	1s 2s 3S ₁ - 1s 3p 3P ₁	6.9	6.48e+02
Mg XI	50.4713	1s 2s 3S ₁ - 1s 3p 3P ₀	6.9	2.11e+02
Si X	50.5240	2s ² 2p 2P _{1/2} - 2s ² 3d 2D _{3/2}	6.2	7.54e+02
Fe XVII *	50.5542	2s 2p ⁶ 3p 3P ₀ - 2s 2p ⁶ 4d 3D ₁	6.9	2.67e+02
Fe XVI	50.5650	3s 2S _{1/2} - 4p 2P _{1/2}	6.8	5.32e+03
Fe XVII *	50.6320	2s ² 2p ⁵ 3p 3D ₃ - 2s ² 2p ⁵ 4d 3P ₂	6.9	1.46e+02
Fe XVII *	50.6382	2s 2p ⁶ 3p 3P ₁ - 2s 2p ⁶ 4d 3D ₂	6.9	5.67e+02
Fe XVII *	50.6486	2s 2p ⁶ 3p 3P ₁ - 2s 2p ⁶ 4d 3D ₁	6.9	1.80e+02
Si X	50.6910	2s ² 2p 2P _{3/2} - 2s ² 3d 2D _{5/2}	6.2	1.14e+03
Si X	50.7030	2s ² 2p 2P _{3/2} - 2s ² 3d 2D _{3/2}	6.2	1.50e+02
Fe XVII *	50.7169	2s ² 2p ⁵ 3p 1P ₁ - 2s ² 2p ⁵ 4d 1D ₂	6.9	9.74e+02
Fe XVII *	50.7742	2s ² 2p ⁵ 3p 3P ₁ - 2s ² 2p ⁵ 4d 3D ₂	6.9	2.03e+03
Fe XVII *	50.7927	2s ² 2p ⁵ 3p 1D ₂ - 2s ² 2p ⁵ 4d 3F ₃	6.9	2.18e+03
Fe XVII *	50.8574	2s ² 2p ⁵ 3p 1D ₂ - 2s ² 2p ⁵ 4d 3D ₂	6.9	2.40e+02
Fe XVII *	50.8835	2s ² 2p ⁵ 3p 1P ₁ - 2s ² 2p ⁵ 4d 3P ₂	6.9	2.97e+02
Fe XVII *	50.9444	2s ² 2p ⁵ 3p 1D ₂ - 2s ² 2p ⁵ 4d 3F ₂	6.9	2.32e+02
Fe XVII *	51.0314	2s ² 2p ⁵ 3p 3P ₂ - 2s ² 2p ⁵ 4d 3D ₃	6.9	1.59e+03
Ni XVIII	51.0380	3p 2P _{3/2} - 4s 2S _{1/2}	6.7	4.74e+02
Fe XVII	51.0828	2s ² 2p ⁵ 3p 3P ₂ - 2s ² 2p ⁵ 4d 3P ₁	6.9	3.67e+02
Fe XVII *	51.0930	2s 2p ⁶ 3p 3P ₂ - 2s 2p ⁶ 4d 3D ₃	6.9	1.05e+03
Fe XVII *	51.1164	2s 2p ⁶ 3p 3P ₂ - 2s 2p ⁶ 4d 3D ₂	6.9	2.01e+02
Fe XVII *	51.1411	2s 2p ⁶ 3p 1P ₁ - 2s 2p ⁶ 4d 1D ₂	6.9	5.04e+03
Fe XVII *	51.2668	2s ² 2p ⁵ 3p 3P ₂ - 2s ² 2p ⁵ 4d 3P ₂	6.9	1.28e+03
Fe XVIII *	51.5055	2s ² 2p ⁴ (3P) 3p 4P _{5/2} - 2s ² 2p ⁴ (3P) 4s 4P _{5/2}	6.9	2.52e+02
Fe XVII *	51.6695	2s ² 2p ⁵ 3p 3P ₀ - 2s ² 2p ⁵ 4d 3D ₁	6.9	1.26e+03
Fe XVIII *	51.7213	2s 2p ⁵ (3P) 3p 4D _{5/2} - 2s 2p ⁵ (3P) 4s 2P _{3/2}	6.9	2.08e+02
Fe XIX *	51.9401	2s ² 2p ³ (4S) 3d 5D ₄ - 2s ² 2p ³ (4S) 4p 5P ₃	7.0	1.69e+02
Fe XX *	52.0580	2s 2p ³ (3D) 3p 4P _{5/2} - 2s 2p ³ (5S) 4s 4S _{3/2}	7.0	1.83e+02
Fe XVIII *	52.1855	2s ² 2p ⁴ (3P) 3p 2D _{5/2} - 2s ² 2p ⁴ (3P) 4s 2P _{3/2}	6.9	2.46e+02
Fe XVIII *	52.2458	2s 2p ⁵ (3P) 3p 2P _{3/2} - 2s 2p ⁵ (3P) 4s 4P _{3/2}	6.9	1.46e+02
Fe XVIII *	52.2554	2s ² 2p ⁴ (1D) 3p 2F _{7/2} - 2s ² 2p ⁴ (1D) 4s 2D _{5/2}	6.9	1.89e+02
Si XI	52.2980	2s 2p 1P ₁ - 2s 3s 1S ₀	6.3	1.27e+03
Al XI	52.2991	1s ² 2p 2P _{1/2} - 1s ² 3d 2D _{3/2}	6.9	6.77e+02
Fe XVIII *	52.3778	2s ² 2p ⁴ (3P) 3d 4D _{5/2} - 2s ² 2p ⁴ (3P) 4f 4F _{7/2}	6.9	1.64e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XVIII *	52.3825	2s ² 2p ⁴ (³ P) 3d ⁴ D _{7/2} - 2s ² 2p ⁴ (³ P) 4f ⁴ F _{9/2}	6.9	2.04e+02
Fe XVIII *	52.4134	2s 2p ⁵ (³ P) 3p ⁴ D _{3/2} - 2s 2p ⁵ (³ P) 4s ² P _{3/2}	6.9	3.00e+02
Fe XVIII *	52.4188	2s ² 2p ⁴ (³ P) 3p ⁴ D _{7/2} - 2s ² 2p ⁴ (³ P) 4s ⁴ P _{5/2}	6.9	3.28e+02
Al XI	52.4461	1s ² 2p ² P _{3/2} - 1s ² 3d ² D _{5/2}	6.9	1.22e+03
Si X	52.4850	2s 2p ² ² D _{5/2} - 2s 2p (³ P) 3d ² F _{7/2}	6.2	2.08e+02
Fe XIX *	52.5355	2s ² 2p ³ (⁴ S) 3d ³ D ₂ - 2s ² 2p ³ (⁴ S) 4p ³ P ₂	7.0	1.51e+02
Si X	52.6110	2s 2p ² ² D _{3/2} - 2s 2p (³ P) 3d ² F _{5/2}	6.2	1.74e+02
Ni XVIII	52.6150	3d ² D _{3/2} - 4f ² F _{5/2}	6.7	2.09e+02
Mg XI	52.6531	1s 2s ¹ S ₀ - 1s 3p ¹ P ₁	7.0	2.10e+02
Mg XI	52.7090	1s 2p ³ P ₂ - 1s 3d ³ D ₃	6.9	1.74e+02
Ni XVIII	52.7200	3d ² D _{5/2} - 4f ² F _{7/2}	6.7	2.97e+02
Fe XVII	52.7684	2s ² 2p ⁵ 3p ¹ S ₀ - 2s ² 2p ⁵ 4d ¹ P ₁	6.9	1.18e+03
Fe XVIII *	52.7834	2s 2p ⁵ (³ P) 3p ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 4s ⁴ P _{3/2}	6.9	3.18e+02
Fe XVIII *	52.7835	2s 2p ⁵ (³ P) 3p ² D _{5/2} - 2s 2p ⁵ (³ P) 4s ² P _{3/2}	6.9	3.14e+02
Fe XIX *	52.8553	2s ² 2p ³ (² D) 3d ³ D ₃ - 2s ² 2p ³ (² D) 4p ³ P ₂	7.0	2.75e+02
Fe XVIII *	52.8767	2s ² 2p ⁴ (¹ D) 3d ² G _{9/2} - 2s ² 2p ⁴ (¹ D) 4f ² H _{11/2}	6.9	1.56e+02
Fe XV	52.9110	3s ² ¹ S ₀ - 3s 4p ¹ P ₁	6.7	3.58e+03
Fe XVIII *	53.0009	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s ² 2p ⁴ (³ P) 4f ⁴ G _{11/2}	6.9	1.98e+02
Fe XVIII *	53.0191	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s ² 2p ⁴ (³ P) 4f ⁴ D _{7/2}	6.9	2.43e+02
Fe XIX *	53.0329	2s ² 2p ³ (² D) 3d ³ D ₂ - 2s ² 2p ³ (² D) 4p ³ P ₂	7.0	5.43e+02
Fe XVIII *	53.0862	2s 2p ⁵ (³ P) 3d ⁴ F _{7/2} - 2s 2p ⁵ (³ P) 4f ² G _{9/2}	6.9	1.40e+02
Fe XV *	53.1700	3s ² ¹ S ₀ - 3s 4p ³ P ₁	6.4	4.01e+02
Fe XIX *	53.1739	2s ² 2p ³ (² D) 3d ³ D ₃ - 2s ² 2p ³ (⁴ S) 4f ³ F ₄	7.0	1.60e+02
Fe XIX *	53.3023	2s ² 2p ³ (⁴ S) 3d ³ D ₃ - 2s ² 2p ³ (⁴ S) 4p ³ P ₂	7.0	7.84e+02
Fe XVIII *	53.3543	2s ² 2p ⁴ (³ P) 3d ² F _{7/2} - 2s ² 2p ⁴ (³ P) 4f ² G _{9/2}	6.9	2.06e+02
Fe XIX *	53.6746	2s ² 2p ³ (² D) 3d ³ S ₁ - 2s ² 2p ³ (² D) 4p ³ P ₂	7.0	5.56e+02
Mg XI	53.8112	1s 2p ³ P ₁ - 1s 3s ³ S ₁	7.0	1.71e+02
Mg XI	53.9149	1s 2p ³ P ₂ - 1s 3s ³ S ₁	7.0	4.73e+02
S X	54.0260	2s 2p ⁴ ⁴ P _{5/2} - 2s ² 2p ² (³ P) 3p ⁴ S _{3/2}	6.2	2.20e+02
Fe XVI	54.1270	3p ² P _{1/2} - 4d ² D _{3/2}	6.8	7.70e+03
Fe XVIII *	54.1805	2s ² 2p ⁴ (³ P) 3d ⁴ P _{3/2} - 2s ² 2p ⁴ (³ P) 4f ² F _{5/2}	6.9	3.52e+02
Al XI	54.2174	1s ² 2p ² P _{1/2} - 1s ² 3s ² S _{1/2}	6.9	3.06e+02
S X	54.2283	2s 2p ⁴ ⁴ P _{3/2} - 2s ² 2p ² (³ P) 3p ⁴ S _{3/2}	6.2	1.73e+02
Fe XVIII *	54.2314	2s ² 2p ⁴ (³ P) 3d ² D _{5/2} - 2s ² 2p ⁴ (³ P) 4f ⁴ G _{7/2}	6.9	2.07e+02
Al XI	54.3881	1s ² 2p ² P _{3/2} - 1s ² 3s ² S _{1/2}	6.9	6.18e+02
Fe XVIII *	54.5232	2s ² 2p ⁴ (³ P) 3d ² F _{5/2} - 2s ² 2p ⁴ (³ P) 4f ² F _{7/2}	6.9	6.67e+02
Fe XVI	54.7100	3p ² P _{3/2} - 4d ² D _{5/2}	6.8	1.36e+04
Mg XI	54.7141	1s 2p ¹ P ₁ - 1s 3d ¹ D ₂	7.0	2.43e+02
Fe XVI	54.7470	3p ² P _{3/2} - 4d ² D _{3/2}	6.8	1.56e+03
Ca XVIII	55.0386	1s ² 3s ² S _{1/2} - 1s ² 4p ² P _{3/2}	7.1	2.49e+02
Ni XVII *	55.0390	3s 3p ¹ P ₁ - 3s 4s ¹ S ₀	6.5	1.59e+02
Mg XI	55.1971	1s 2p ¹ P ₁ - 1s 3s ¹ S ₀	7.0	9.88e+02
Si IX	55.2720	2s ² 2p ² ³ P ₂ - 2s ² 2p ³ D ₂	6.1	2.99e+02
Si IX	55.3050	2s ² 2p ² ³ P ₀ - 2s ² 2p ³ D ₁	6.1	1.99e+02
Si IX	55.3560	2s ² 2p ² ³ P ₁ - 2s ² 2p ³ D ₂	6.1	4.32e+02
Si IX	55.4010	2s ² 2p ² ³ P ₂ - 2s ² 2p ³ D ₃	6.1	6.50e+02
Fe XVII	55.5482	2s ² 2p ⁵ 3p ¹ S ₀ - 2s ² 2p ⁵ 4d ³ D ₁	6.9	3.69e+02
Fe XV	55.7920	3s 3p ³ P ₁ - 3s 4d ³ D ₂	6.4	2.56e+02
Fe XVII	55.9962	2s ² 2p ⁵ 3p ³ S ₁ - 2s ² 2p ⁵ 4s ³ P ₂	6.9	2.59e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Si IX	56.0270	2s ² 2p ² ¹ D ₂ - 2s ² 2p 3d ¹ F ₃	6.1	1.65e+02
Ne IX	56.0448	1s 2s ³ S ₁ - 1s 4p ³ P ₂	6.8	3.10e+02
Fe XV	56.2000	3s 3p ³ P ₂ - 3s 4d ³ D ₃	6.4	4.55e+02
Ca XVIII	56.3925	1s ² 3p ² P _{1/2} - 1s ² 4d ² D _{3/2}	7.1	1.55e+02
Fe XVII	56.6853	2s ² 2p ⁵ 3p ³ D ₂ - 2s ² 2p ⁵ 4s ¹ P ₁	6.9	5.76e+02
Ca XVIII	56.7181	1s ² 3p ² P _{3/2} - 1s ² 4d ² D _{5/2}	7.1	2.79e+02
Fe XVII	56.9085	2s ² 2p ⁵ 3p ³ D ₂ - 2s ² 2p ⁵ 4s ³ P ₂	6.9	2.05e+02
Fe XVII *	57.0200	2s 2p ⁶ 3p ³ P ₁ - 2s 2p ⁶ 4s ¹ S ₀	6.9	4.29e+02
Fe XVII *	57.0600	2s ² 2p ⁵ 3p ³ D ₁ - 2s ² 2p ⁵ 4s ³ P ₁	6.9	2.89e+02
Si X	57.2090	2s 2p ² ² D _{5/2} - 2s 2p (³ P) 3s ² P _{3/2}	6.2	2.89e+02
Fe XVII	57.3201	2s ² 2p ⁵ 3p ³ D ₃ - 2s ² 2p ⁵ 4s ³ P ₂	6.9	6.01e+02
Si X	57.3650	2s 2p ² ² D _{3/2} - 2s 2p (³ P) 3s ² P _{1/2}	6.2	2.07e+02
Fe XVII	57.4195	2s ² 2p ⁵ 3p ¹ P ₁ - 2s ² 2p ⁵ 4s ¹ P ₁	6.9	5.98e+02
Fe XVII	57.6256	2s ² 2p ⁵ 3p ¹ D ₂ - 2s ² 2p ⁵ 4s ³ P ₁	6.9	9.28e+02
Ca XVIII	57.6702	1s ² 3d ² D _{3/2} - 1s ² 4f ² F _{5/2}	7.1	3.23e+02
Fe XVII *	57.7661	2s ² 2p ⁵ 3d ³ D ₁ - 2s ² 2p ⁵ 4f ³ F ₂	6.9	2.37e+02
Ca XVIII	57.7702	1s ² 3d ² D _{5/2} - 1s ² 4f ² F _{7/2}	7.1	4.59e+02
Fe XVII	57.8752	2s ² 2p ⁵ 3p ³ P ₂ - 2s ² 2p ⁵ 4s ¹ P ₁	6.9	5.50e+02
Mg X	57.8762	1s ² 2s ² S _{1/2} - 1s ² 3p ² P _{3/2}	6.9	4.63e+03
Fe XVII *	57.8873	2s ² 2p ⁵ 3p ³ P ₁ - 2s ² 2p ⁵ 4s ³ P ₁	6.9	2.05e+02
Mg X	57.9201	1s ² 2s ² S _{1/2} - 1s ² 3p ² P _{1/2}	6.9	2.35e+03
Fe XVII *	57.9760	2s ² 2p ⁵ 3p ³ P ₁ - 2s ² 2p ⁵ 4s ³ P ₀	6.9	1.59e+02
Fe XVII	58.1078	2s ² 2p ⁵ 3p ³ P ₂ - 2s ² 2p ⁵ 4s ³ P ₂	6.9	2.58e+02
Fe XVII *	58.1706	2s 2p ⁶ 3p ¹ P ₁ - 2s 2p ⁶ 4s ¹ S ₀	6.9	3.74e+03
Fe XVII	58.2969	2s ² 2p ⁵ 3d ³ P ₁ - 2s ² 2p ⁵ 4f ³ D ₂	6.9	5.04e+02
Ca XVIII	58.4284	1s ² 3p ² P _{3/2} - 1s ² 4s ² S _{1/2}	7.1	2.85e+02
Fe XVII	58.7601	2s ² 2p ⁵ 3d ³ P ₂ - 2s ² 2p ⁵ 4f ³ D ₂	6.9	3.16e+02
Fe XVII	58.7601	2s ² 2p ⁵ 3d ³ F ₄ - 2s ² 2p ⁵ 4f ³ G ₅	6.9	4.43e+02
Fe XVII *	58.8420	2s ² 2p ⁵ 3d ³ P ₂ - 2s ² 2p ⁵ 4f ³ F ₃	6.9	2.51e+02
Fe XVIII *	59.0486	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s ² 2p ⁴ (³ P) 4p ⁴ D _{7/2}	6.9	1.44e+02
Fe XVIII *	59.0486	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s ² 2p ⁴ (³ P) 4p ⁴ D _{3/2}	6.9	2.08e+02
Fe XVII *	59.1708	2s ² 2p ⁵ 3d ³ F ₂ - 2s ² 2p ⁵ 4f ³ G ₃	6.9	2.24e+02
Fe XVII *	59.2236	2s 2p ⁶ 3d ³ D ₂ - 2s 2p ⁶ 4f ³ F ₃	6.9	2.02e+02
Fe XVII *	59.2588	2s 2p ⁶ 3d ³ D ₃ - 2s 2p ⁶ 4f ³ F ₄	6.9	2.40e+02
Fe XVII	59.2601	2s ² 2p ⁵ 3d ³ F ₃ - 2s ² 2p ⁵ 4f ¹ G ₄	6.9	4.11e+02
Fe XVII *	59.3340	2s ² 2p ⁵ 3d ³ D ₂ - 2s ² 2p ⁵ 4f ³ D ₃	6.9	3.40e+02
Fe XVIII *	59.3438	2s ² 2p ⁴ (¹ D) 3d ² S _{1/2} - 2s ² 2p ⁴ (¹ D) 4p ² D _{3/2}	6.9	2.37e+02
Fe XV	59.4050	3s 3p ¹ P ₁ - 3s 4d ¹ D ₂	6.7	4.22e+03
Fe XVIII *	59.5185	2s ² 2p ⁴ (³ P) 3d ⁴ P _{5/2} - 2s ² 2p ⁴ (³ P) 4p ⁴ S _{3/2}	6.9	1.78e+02
Fe XVIII *	59.5375	2s ² 2p ⁴ (³ P) 3d ⁴ P _{3/2} - 2s ² 2p ⁴ (³ P) 4p ² P _{3/2}	6.9	3.12e+02
Fe XVIII *	59.5532	2s ² 2p ⁴ (¹ D) 3d ² F _{5/2} - 2s ² 2p ⁴ (¹ D) 4p ² P _{3/2}	6.9	1.87e+02
Fe XVII	59.5901	2s ² 2p ⁵ 3d ¹ F ₃ - 2s ² 2p ⁵ 4f ³ G ₄	6.9	3.50e+02
Fe XVII *	59.5938	2s ² 2p ⁵ 3d ¹ D ₂ - 2s ² 2p ⁵ 4f ¹ F ₃	6.9	1.77e+02
Fe XVII *	59.6053	2s ² 2p ⁵ 3d ¹ D ₂ - 2s ² 2p ⁵ 4f ¹ D ₂	6.9	3.58e+02
Fe XVIII *	59.8653	2s ² 2p ⁴ (³ P) 3d ² F _{5/2} - 2s ² 2p ⁴ (³ P) 4p ² P _{3/2}	6.9	6.12e+02
Fe XVII *	59.8966	2s ² 2p ⁵ 3d ³ D ₃ - 2s ² 2p ⁵ 4f ³ F ₄	6.9	2.27e+02
Fe XVII *	59.9278	2s ² 2p ⁵ 3p ³ P ₀ - 2s ² 2p ⁵ 4s ¹ P ₁	6.9	1.56e+02
S VII	60.1620	2p ⁶ ¹ S ₀ - 2p ⁵ 3d ¹ P ₁	5.8	2.84e+02
Fe XVIII *	60.2317	2s ² 2p ⁴ (¹ D) 3d ² P _{3/2} - 2s ² 2p ⁴ (¹ D) 4p ² D _{3/2}	6.9	2.35e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XVIII *	60.2419	$2s^2 2p^4 (^3P) 3d ^2D_{5/2} - 2s^2 2p^4 (^3P) 4p ^2D_{3/2}$	6.9	1.95e+02
Fe XVIII *	60.4490	$2s^2 2p^4 (^1D) 3d ^2D_{5/2} - 2s^2 2p^4 (^1D) 4p ^2D_{3/2}$	6.9	3.46e+02
Ne IX	60.6981	$1s 2p ^1P_1 - 1s 4s ^1S_0$	6.9	1.62e+02
Fe XVII *	60.7794	$2s 2p^6 3d ^1D_2 - 2s 2p^6 4f ^1F_3$	6.9	6.20e+02
Si VIII	60.9890	$2s^2 2p^3 ^4S_{3/2} - 2s^2 2p^2 (^3P) 3d ^4P_{1/2}$	6.0	1.43e+02
Si VIII	61.0190	$2s^2 2p^3 ^4S_{3/2} - 2s^2 2p^2 (^3P) 3d ^4P_{3/2}$	6.0	2.82e+02
Si VIII	61.0700	$2s^2 2p^3 ^4S_{3/2} - 2s^2 2p^2 (^3P) 3d ^4P_{5/2}$	6.0	4.18e+02
Fe XVII *	61.3198	$2s^2 2p^5 4s ^1P_1 - 2s^2 2p^5 7p ^1S_0$	6.9	2.37e+02
Fe XVII *	61.3596	$2s^2 2p^5 3d ^3D_1 - 2s^2 2p^5 4f ^1D_2$	6.9	8.62e+02
Fe XVIII *	61.3605	$2s^2 2p^4 (^1D) 3d ^2D_{3/2} - 2s^2 2p^4 (^1D) 4p ^2D_{3/2}$	6.9	4.01e+02
Fe XVII	61.3615	$2s^2 2p^5 3p ^1S_0 - 2s^2 2p^5 4s ^3P_1$	6.9	1.58e+02
Fe XVII *	61.8302	$2s^2 2p^5 3d ^1P_1 - 2s^2 2p^5 4f ^3F_2$	6.9	7.10e+02
S XIV *	61.8693	$1s^2 3s ^2S_{1/2} - 1s^2 5p ^2P_{3/2}$	7.1	2.54e+02
Si VIII	61.9140	$2s^2 2p^3 ^2D_{5/2} - 2s^2 2p^2 (^1D) 3d ^2F_{7/2}$	6.0	1.97e+02
Si X *	62.2820	$2s 2p^2 ^2D_{5/2} - 2s^2 (^1S) 3p ^2P_{3/2}$	6.2	1.73e+02
Mg IX	62.7510	$2s^2 ^1S_0 - 2s 3p ^1P_1$	6.0	1.58e+02
Fe XVI	62.8720	$3p ^2P_{1/2} - 4s ^2S_{1/2}$	6.8	1.61e+04
Mg X	63.1520	$1s^2 2p ^2P_{1/2} - 1s^2 3d ^2D_{3/2}$	6.9	2.96e+03
Mg X	63.2953	$1s^2 2p ^2P_{3/2} - 1s^2 3d ^2D_{5/2}$	6.9	5.28e+03
Mg X	63.3109	$1s^2 2p ^2P_{3/2} - 1s^2 3d ^2D_{3/2}$	6.9	5.90e+02
Fe XVI	63.7110	$3p ^2P_{3/2} - 4s ^2S_{1/2}$	6.8	3.30e+04
Fe XV	63.9570	$3p^2 ^1D_2 - 3s 4f ^1F_3$	6.7	1.62e+03
Fe XVII *	64.2871	$2s^2 2p^5 3d ^3D_1 - 2s^2 2p^5 4p ^1S_0$	6.9	1.87e+02
Fe XV	64.8780	$3p^2 ^3P_2 - 3s 4f ^1F_3$	6.7	3.44e+02
S XIV	65.1043	$1s^2 3p ^2P_{3/2} - 1s^2 5s ^2S_{1/2}$	7.0	2.25e+02
S XIV	65.2542	$1s^2 3d ^2D_{3/2} - 1s^2 5f ^2F_{5/2}$	7.0	2.77e+02
S XIV	65.3084	$1s^2 3d ^2D_{5/2} - 1s^2 5f ^2F_{7/2}$	7.0	3.95e+02
Ne X	65.4397	$2p ^2P_{1/2} - 3d ^2D_{3/2}$	7.0	9.56e+02
Ne X	65.4466	$2s ^2S_{1/2} - 3p ^2P_{3/2}$	7.1	2.32e+03
Ne X	65.4841	$2p ^2P_{1/2} - 3s ^2S_{1/2}$	7.1	1.60e+03
Ne X	65.4932	$2s ^2S_{1/2} - 3p ^2P_{1/2}$	7.1	1.31e+03
Ne X	65.5818	$2p ^2P_{3/2} - 3d ^2D_{5/2}$	7.0	1.71e+03
Ne X	65.5973	$2p ^2P_{3/2} - 3d ^2D_{3/2}$	7.0	1.90e+02
Fe XV	65.6150	$3s 3p ^3P_1 - 3s 4s ^3S_1$	6.4	1.44e+02
Ne X	65.6420	$2p ^2P_{3/2} - 3s ^2S_{1/2}$	7.1	3.24e+03
Mg X	65.6736	$1s^2 2p ^2P_{1/2} - 1s^2 3s ^2S_{1/2}$	6.8	1.34e+03
Mg X	65.8455	$1s^2 2p ^2P_{3/2} - 1s^2 3s ^2S_{1/2}$	6.8	2.70e+03
Fe XVII *	65.9651	$2s^2 2p^5 3d ^1P_1 - 2s^2 2p^5 4f ^1D_2$	6.9	1.80e+02
Fe XV	66.2300	$3s 3p ^3P_2 - 3s 4s ^3S_1$	6.4	2.43e+02
Fe XVI	66.2490	$3d ^2D_{3/2} - 4f ^2F_{5/2}$	6.8	1.17e+04
Fe XVI	66.3570	$3d ^2D_{5/2} - 4f ^2F_{7/2}$	6.8	1.67e+04
Fe XVI	66.3770	$3d ^2D_{5/2} - 4f ^2F_{5/2}$	6.8	8.36e+02
Fe XVII *	66.7456	$2s^2 2p^5 3d ^3P_1 - 2s^2 2p^5 4p ^3S_1$	6.9	1.85e+02
Fe XVII *	66.9099	$2s^2 2p^5 3d ^3F_4 - 2s^2 2p^5 4p ^3D_3$	6.9	3.62e+02
Fe XXIV	67.2089	$1s^2 4s ^2S_{1/2} - 1s^2 5p ^2P_{3/2}$	7.3	5.85e+02
Fe XXIV *	67.2097	$1s^2 4s ^2S_{1/2} - 1s^2 5p ^2P_{1/2}$	7.3	2.99e+02
Fe XVII *	67.3793	$2s^2 2p^5 3d ^3D_2 - 2s^2 2p^5 4p ^3P_1$	6.9	2.38e+02
Ne VIII	67.3819	$1s^2 2s ^2S_{1/2} - 1s^2 4p ^2P_{3/2}$	6.7	2.85e+02
Ne VIII	67.3865	$1s^2 2s ^2S_{1/2} - 1s^2 4p ^2P_{1/2}$	6.7	1.48e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XVII *	67.4364	2s ² 2p ⁵ 3d 3F ₃ - 2s ² 2p ⁵ 4p 1D ₂	6.9	2.76e+02
Fe XVII *	67.5019	2s ² 2p ⁵ 3d 1F ₃ - 2s ² 2p ⁵ 4p 3D ₂	6.9	3.38e+02
Fe XVII *	67.5636	2s ² 2p ⁵ 3d 3F ₂ - 2s ² 2p ⁵ 4p 3D ₁	6.9	1.86e+02
Fe XVII *	67.7190	2s ² 2p ⁵ 3d 1D ₂ - 2s ² 2p ⁵ 4p 1P ₁	6.9	1.49e+02
O VIII	67.7221	2p 2P _{1/2} - 5d 2D _{3/2}	7.1	5.17e+02
O VIII	67.7254	2s 2S _{1/2} - 5p 2P _{3/2}	7.1	1.30e+03
O VIII	67.7262	2p 2P _{1/2} - 5s 2S _{1/2}	7.1	3.98e+02
O VIII	67.7298	2s 2S _{1/2} - 5p 2P _{1/2}	7.1	7.45e+02
O VIII	67.7896	2p 2P _{3/2} - 5d 2D _{5/2}	7.1	9.22e+02
O VIII	67.7952	2p 2P _{3/2} - 5s 2S _{1/2}	7.1	7.94e+02
Fe XVII *	67.9262	2s ² 2p ⁵ 3d 3D ₃ - 2s ² 2p ⁵ 4p 3P ₂	6.9	2.66e+02
Fe XVII *	68.3204	2s ² 2p ⁵ 3d 3D ₁ - 2s ² 2p ⁵ 4p 3P ₀	6.9	1.66e+03
Si IX *	68.3610	2s 2p ³ 3D ₃ - 2s ² 2p 3p 3P ₂	6.1	1.42e+02
Ar XVI	68.4040	1s ² 3s 2S _{1/2} - 1s ² 4p 2P _{3/2}	7.1	4.51e+02
Ar XVI	68.5526	1s ² 3s 2S _{1/2} - 1s ² 4p 2P _{1/2}	7.1	2.38e+02
Fe XXIV	68.9847	1s ² 4p 2P _{1/2} - 1s ² 5d 2D _{3/2}	7.3	2.53e+02
Fe XVII *	69.3608	2s ² 2p ⁵ 3d 1P ₁ - 2s ² 2p ⁵ 4p 1S ₀	6.9	2.68e+03
Fe XXIV	69.4301	1s ² 4p 2P _{3/2} - 1s ² 5d 2D _{5/2}	7.3	4.59e+02
Ni XXI	69.6186	2s ² 2p ⁴ 3P ₂ - 2s 2p ⁵ 1P ₁	7.0	2.89e+02
Si VIII	69.6320	2s ² 2p ³ 4S _{3/2} - 2s ² 2p ² (3P) 3s 4P _{5/2}	6.0	1.89e+02
Fe XV	69.6820	3s 3p 1P ₁ - 3s 4s 1S ₀	6.4	1.03e+04
Fe XXIV *	69.9383	1s ² 4d 2D _{3/2} - 1s ² 5f 2F _{5/2}	7.3	7.84e+02
Fe XV	69.9410	3s 3d 3D ₁ - 3s 4f 3F ₂	6.4	3.04e+02
Fe XV	69.9870	3s 3d 3D ₂ - 3s 4f 3F ₃	6.4	4.04e+02
Fe XV	70.0540	3s 3d 3D ₃ - 3s 4f 3F ₄	6.4	6.87e+02
Fe XXIV *	70.1221	1s ² 4d 2D _{5/2} - 1s ² 5f 2F _{7/2}	7.3	1.12e+03
Fe XXIV *	70.1715	1s ² 4f 2F _{5/2} - 1s ² 5g 2G _{7/2}	7.3	2.13e+02
Fe XXIV *	70.2580	1s ² 4f 2F _{7/2} - 1s ² 5g 2G _{9/2}	7.3	2.80e+02
Fe XXIV	70.6940	1s ² 4p 2P _{1/2} - 1s ² 5s 2S _{1/2}	7.3	3.52e+02
Ar XVI	70.9211	1s ² 3p 2P _{1/2} - 1s ² 4d 2D _{3/2}	7.1	2.74e+02
Fe XXIV	71.2404	1s ² 4d 2D _{5/2} - 1s ² 5p 2P _{3/2}	7.3	1.57e+02
Ar XVI	71.2760	1s ² 3p 2P _{3/2} - 1s ² 4d 2D _{5/2}	7.1	4.94e+02
Fe XXIII	71.3015	2s 4s 1S ₀ - 2s 5p 1P ₁	7.2	2.35e+02
Fe XXIV	71.4058	1s ² 4p 2P _{3/2} - 1s ² 5s 2S _{1/2}	7.3	7.57e+02
Ni XXII	71.4880	2s ² 2p ³ 4S _{3/2} - 2s 2p ⁴ 2P _{3/2}	7.0	1.92e+02
Fe XXIII *	71.5040	2s 4s 3S ₁ - 2s 5p 3P ₁	7.2	1.64e+02
Fe XXIII	71.7394	2s 4p 1P ₁ - 2s 5d 1D ₂	7.2	4.80e+02
S VII	72.0290	2p ⁶ 1S ₀ - 2p ⁵ 3s 1P ₁	5.7	3.07e+02
Mg IX	72.3120	2s 2p 1P ₁ - 2s 3d 1D ₂	6.0	3.01e+02
Fe XVII *	72.5266	2s ² 2p ⁵ 4s 1P ₁ - 2s ² 2p ⁵ 6p 1S ₀	6.9	4.11e+02
S VII	72.6640	2p ⁶ 1S ₀ - 2p ⁵ 3s 3P ₁	5.7	1.76e+02
Fe XVII *	72.7805	2s ² 2p ⁵ 4s 3P ₁ - 2s ² 2p ⁵ 6p 3P ₀	6.9	2.74e+02
S VII	72.8980	2p ⁶ 1S ₀ - 2p ⁵ 3s 3P ₂	5.7	2.51e+02
Ar XVI *	72.9974	1s ² 3d 2D _{3/2} - 1s ² 4f 2F _{5/2}	7.1	5.48e+02
Ar XVI *	73.0920	1s ² 3d 2D _{5/2} - 1s ² 4f 2F _{7/2}	7.1	7.81e+02
Ar XVI	73.1659	1s ² 3p 2P _{1/2} - 1s ² 4s 2S _{1/2}	7.1	2.44e+02
Fe XV	73.4720	3s 3d 1D ₂ - 3s 4f 1F ₃	6.7	4.11e+03
Ne VIII	73.4756	1s ² 2p 2P _{1/2} - 1s ² 4d 2D _{3/2}	6.7	1.61e+02
Ne VIII	73.5631	1s ² 2p 2P _{3/2} - 1s ² 4d 2D _{5/2}	6.7	2.91e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Ar XVI	73.5966	1s ² 3p ² P _{3/2} - 1s ² 4s ² S _{1/2}	7.1	5.00e+02
Ne IX	74.3485	1s 2s ³ S ₁ - 1s 3p ³ P ₂	6.8	9.28e+02
Ne IX	74.3739	1s 2s ³ S ₁ - 1s 3p ³ P ₁	6.8	3.91e+02
Mg VIII	74.8580	2s ² 2p ² P _{1/2} - 2s ² 3d ² D _{3/2}	6.0	2.40e+02
Fe XXII *	74.8848	2s ² 4s ² S _{1/2} - 2s ² 5p ² P _{3/2}	7.1	1.60e+02
Mg VIII	75.0340	2s ² 2p ² P _{3/2} - 2s ² 3d ² D _{5/2}	6.0	4.53e+02
Fe XV	75.1670	3p ² ¹ D ₂ - 3s 4p ¹ P ₁	6.7	4.04e+02
Fe XXIII	75.1941	2s 4p ³ P ₁ - 2s 5s ¹ S ₀	7.2	1.43e+02
Fe XXII *	75.2773	2s ² 4s ² S _{1/2} - 2s ² 5p ² P _{1/2}	7.1	4.61e+02
Fe XXIII *	75.5794	2s 4d ³ D ₂ - 2s 5f ³ F ₃	7.2	1.86e+02
Fe XXIII *	75.7093	2s 4d ³ D ₃ - 2s 5f ³ F ₄	7.2	2.34e+02
O VIII	75.8404	2p ² P _{1/2} - 4d ² D _{3/2}	7.1	1.05e+03
O VIII	75.8447	2s ² S _{1/2} - 4p ² P _{3/2}	7.1	2.55e+03
O VIII	75.8507	2p ² P _{1/2} - 4s ² S _{1/2}	7.1	9.20e+02
O VIII	75.8554	2s ² S _{1/2} - 4p ² P _{1/2}	7.1	1.44e+03
O VIII	75.9233	2p ² P _{3/2} - 4d ² D _{5/2}	7.1	1.86e+03
O VIII	75.9269	2p ² P _{3/2} - 4d ² D _{3/2}	7.1	2.10e+02
O VIII	75.9372	2p ² P _{3/2} - 4s ² S _{1/2}	7.1	1.83e+03
Fe XXIII	76.1968	2s 4p ¹ P ₁ - 2s 5s ¹ S ₀	7.2	6.47e+02
Fe XVI	76.3270	3d ² D _{3/2} - 4p ² P _{3/2}	6.8	2.40e+02
Fe XVI	76.4970	3d ² D _{5/2} - 4p ² P _{3/2}	6.8	2.18e+03
Fe XXIII *	76.7088	2s 4d ¹ D ₂ - 2s 5f ¹ F ₃	7.2	1.05e+03
Fe XVI	76.7960	3d ² D _{3/2} - 4p ² P _{1/2}	6.8	1.29e+03
Fe XVIII *	77.2096	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s 2p ⁵ (¹ P) 3d ² F _{7/2}	6.9	1.69e+02
Fe XXII *	77.5291	2s ² 4p ² P _{1/2} - 2s ² 5d ² D _{3/2}	7.1	5.24e+02
Fe XXI *	77.5909	2s ² 2p 4s ³ P ₁ - 2s ² 2p 5p ³ P ₀	7.1	7.34e+02
Fe XXI *	77.6875	2s ² 2p 4s ³ P ₁ - 2s ² 2p 5p ³ D ₂	7.1	1.56e+02
Mg IX	77.7370	2s 2p ¹ P ₁ - 2s 3s ¹ S ₀	6.0	2.41e+02
Fe X	77.8650	3s ² 3p ⁵ ² P _{3/2} - 3s ² 3p ⁴ (³ P) 4d ² D _{5/2}	6.0	1.74e+02
Ni XIX *	78.0781	2p ⁵ 3s ³ P ₁ - 2s 2p ⁶ 3s ¹ S ₀	6.8	3.38e+02
Ne IX	78.2566	1s 2s ¹ S ₀ - 1s 3p ¹ P ₁	6.9	1.59e+02
Fe XIX	78.8894	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ¹ P ₁	7.0	4.67e+03
Fe XXI *	79.6202	2s ² 2p 4p ³ D ₁ - 2s ² 2p 5d ³ D ₁	7.1	2.15e+02
Ni XXIII	79.9720	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ S ₁	7.1	2.20e+03
Ne IX	80.4539	1s 2p ³ P ₂ - 1s 3s ³ S ₁	6.8	2.83e+02
Fe XX	80.4887	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ² P _{3/2}	7.0	2.59e+03
Ni XXII	80.5580	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² P _{3/2}	7.0	3.07e+02
Fe XXII *	80.9096	2s ² 4d ² D _{3/2} - 2s ² 5f ² F _{5/2}	7.1	4.53e+02
Fe XXII *	81.1151	2s ² 4d ² D _{5/2} - 2s ² 5f ² F _{7/2}	7.1	1.76e+02
Fe XXII *	81.1848	2s 2p (³ P) 4d ⁴ F _{5/2} - 2s 2p (³ P) 5f ⁴ D _{7/2}	7.1	1.47e+02
Fe XXI *	81.4595	2s ² 2p 4p ³ P ₀ - 2s ² 2p 5d ³ D ₁	7.1	4.25e+02
Ne IX	81.5769	1s 2p ¹ P ₁ - 1s 3d ¹ D ₂	6.9	1.56e+02
Ni XXI	81.6895	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ¹ P ₁	7.0	2.56e+03
Fe XXII *	81.8992	2s 2p (³ P) 4d ² D _{3/2} - 2s 2p (³ P) 5f ² D _{5/2}	7.1	1.78e+02
Fe XXII *	82.2988	2s 2p (³ P) 4d ² F _{5/2} - 2s 2p (³ P) 5f ² G _{7/2}	7.1	2.01e+02
Fe XXII *	82.7306	2s 2p (³ P) 4p ² P _{1/2} - 2s 2p (³ P) 5s ² P _{1/2}	7.1	1.51e+02
Ne IX	82.7597	1s 2p ¹ P ₁ - 1s 3s ¹ S ₀	6.9	6.21e+02
Fe XV *	82.9810	3s 3d ³ D ₃ - 3s 4p ³ P ₂	6.4	3.10e+02
Ni XX	83.1741	2s ² 2p ⁵ ² P _{3/2} - 2s 2p ⁶ ² S _{1/2}	6.9	1.71e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XX	83.2327	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² P _{1/2}	7.0	1.92e+03
Fe XXII *	83.3949	2s 2p (³ P) 4p ² D _{3/2} - 2s 2p (³ P) 5s ² P _{1/2}	7.1	2.60e+02
Si XII	83.6276	1s ² 3s ² S _{1/2} - 1s ² 5p ² P _{3/2}	7.0	1.82e+02
Fe XX	83.6688	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ² S _{1/2}	7.0	5.32e+02
Fe XIX	83.8681	2s ² 2p ⁴ ³ P ₀ - 2s 2p ⁵ ¹ P ₁	7.0	5.08e+02
Mg VII	83.9600	2s ² 2p ² ³ P ₁ - 2s ² 2p 3d ³ D ₂	5.9	1.77e+02
Mg VII	84.0260	2s ² 2p ² ³ P ₂ - 2s ² 2p 3d ³ D ₃	5.9	2.76e+02
Ni XXII	84.0700	2s ² 2p ³ ² D _{5/2} - 2s 2p ⁴ ² P _{3/2}	7.0	2.61e+03
Fe XX *	84.0717	2s ² 2p ² (³ P) 4s ⁴ P _{1/2} - 2s ² 2p ² (³ P) 5p ⁴ P _{3/2}	7.0	1.94e+02
Fe XXI	84.2426	2s ² 2p ² ³ P ₁ - 2s 2p ³ ¹ P ₁	7.1	1.05e+03
Ni XXII	84.2510	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² S _{1/2}	7.0	5.66e+02
Fe XXII *	84.7147	2s ² 4d ² D _{3/2} - 2s ² 5p ² P _{1/2}	7.1	1.49e+02
Fe XIX	84.8783	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ¹ P ₁	7.0	3.21e+02
Zn XXIII	85.0178	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₂	7.0	2.94e+02
Ni XXII	85.0320	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ² D _{3/2}	7.0	2.57e+02
Mg VII	85.4080	2s ² 2p ² ¹ D ₂ - 2s ² 2p 3d ¹ F ₃	5.9	1.98e+02
Co XX	86.1880	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ¹ P ₁	7.0	1.63e+02
Fe XIX	86.9990	2s 2p ⁵ ³ P ₁ - 2p ⁶ ¹ S ₀	6.9	2.57e+02
Fe XVIII	87.1957	2s ² 2p ⁴ (¹ D) 3s ² D _{5/2} - 2s 2p ⁵ (¹ P) 3s ² P _{3/2}	6.9	4.74e+02
Fe XVII	87.3234	2s ² 2p ⁵ 3s ¹ P ₁ - 2s 2p ⁶ 3s ¹ S ₀	6.9	1.36e+04
Ni XIX *	87.4526	2p ⁵ 3s ¹ P ₁ - 2s 2p ⁶ 3s ¹ S ₀	6.8	1.61e+02
Ni XXIV	87.4601	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{3/2}	7.1	1.18e+03
Ni XXIII	87.6690	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ S ₁	7.1	5.20e+03
Fe XVIII *	87.6834	2s ² 2p ⁴ (¹ D) 3p ² F _{7/2} - 2s 2p ⁵ (¹ P) 3p ² D _{5/2}	6.9	1.79e+02
Fe XX *	87.9543	2s ² 2p ² (³ P) 4p ⁴ P _{3/2} - 2s ² 2p ² (³ P) 5d ⁴ F _{5/2}	7.0	1.92e+02
Fe XVIII *	88.0250	2s ² 2p ⁴ (¹ D) 3d ² F _{5/2} - 2s 2p ⁵ (¹ P) 3d ² D _{5/2}	6.9	2.22e+02
Fe XVIII *	88.0400	2s ² 2p ⁴ (¹ D) 3d ² G _{7/2} - 2s 2p ⁵ (¹ P) 3d ² F _{5/2}	6.9	6.00e+02
Ne VIII	88.0817	1s ² 2s ² S _{1/2} - 1s ² 3p ² P _{3/2}	6.7	1.61e+03
Ne VIII	88.1196	1s ² 2s ² S _{1/2} - 1s ² 3p ² P _{1/2}	6.7	8.21e+02
Fe XVIII *	88.1423	2s ² 2p ⁴ (¹ D) 3d ² G _{9/2} - 2s 2p ⁵ (¹ P) 3d ² F _{7/2}	6.9	1.57e+03
Co XIX	88.3500	2s ² 2p ⁵ ² P _{3/2} - 2s 2p ⁶ ² S _{1/2}	6.9	1.00e+03
Fe XX *	88.4529	2s ² 2p ² (³ P) 4p ⁴ S _{3/2} - 2s ² 2p ² (³ P) 5d ⁴ P _{3/2}	7.0	1.46e+02
Si XII	88.5647	1s ² 3p ² P _{3/2} - 1s ² 5s ² S _{1/2}	7.0	1.56e+02
Ni XXIV	88.6114	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{1/2}	7.1	6.88e+04
Fe XV	88.6620	3s 3d ¹ D ₂ - 3s 4p ¹ P ₁	6.7	1.49e+02
S XIV	88.7502	1s ² 3s ² S _{1/2} - 1s ² 4p ² P _{3/2}	7.1	5.51e+02
Fe XVII *	88.8037	2s ² 2p ⁵ 3p ³ S ₁ - 2s 2p ⁶ 3p ³ P ₀	6.9	2.43e+02
Ni XXI	88.8219	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₁	7.0	8.47e+03
Si XII	88.8369	1s ² 3d ² D _{3/2} - 1s ² 5f ² F _{5/2}	7.0	1.86e+02
Fe XVIII *	88.8733	2s ² 2p ⁴ (¹ D) 3d ² F _{7/2} - 2s 2p ⁵ (¹ P) 3d ² D _{5/2}	6.9	6.74e+02
Si XII	88.8914	1s ² 3d ² D _{5/2} - 1s ² 5f ² F _{7/2}	7.0	2.65e+02
S XIV	88.8985	1s ² 3s ² S _{1/2} - 1s ² 4p ² P _{1/2}	7.1	2.88e+02
Fe XVII	89.0563	2s ² 2p ⁵ 3d ³ P ₂ - 2s 2p ⁶ 3d ¹ D ₂	6.9	7.79e+02
Fe XVII	89.5923	2s ² 2p ⁵ 3d ³ F ₃ - 2s 2p ⁶ 3d ¹ D ₂	6.9	3.63e+03
Fe XIX *	89.6716	2s ² 2p ³ (² D) 3d ³ F ₄ - 2s 2p ⁴ (² P) 3d ³ F ₄	7.0	2.97e+02
Fe XVII *	89.9199	2s ² 2p ⁵ 4d ³ D ₁ - 2s ² 2p ⁵ 6p ¹ S ₀	6.9	1.99e+02
Zn XXIV	90.0262	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{1/2}	7.1	1.51e+02
Fe XIX *	90.0850	2s ² 2p ³ (² D) 3s ³ D ₃ - 2s 2p ⁴ (² P) 3s ³ P ₂	7.0	4.91e+02
Fe XVII *	90.3922	2s ² 2p ⁵ 3d ³ P ₁ - 2s 2p ⁶ 3d ³ D ₁	6.9	1.78e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XXI *	90.4118	2s ² 2p 4d ³ D ₁ - 2s ² 2p 5p ³ P ₀	7.1	2.46e+02
Fe XVII *	90.4951	2s ² 2p ⁵ 3p ³ D ₃ - 2s 2p ⁶ 3p ³ P ₂	6.9	1.86e+03
Fe XVII *	90.5816	2s ² 2p ⁵ 3s ³ P ₂ - 2s 2p ⁶ 3s ³ S ₁	6.9	2.07e+03
Fe XX	90.5943	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² P _{3/2}	7.0	8.22e+03
Fe XIX *	90.6578	2s ² 2p ³ (² D) 3d ³ G ₅ - 2s 2p ⁴ (² P) 3d ³ F ₄	7.0	2.16e+03
Fe XVII *	90.7318	2s ² 2p ⁵ 4s ¹ P ₁ - 2s 2p ⁶ 4s ¹ S ₀	6.9	6.72e+02
Fe XVII	90.7514	2s ² 2p ⁵ 3d ¹ D ₂ - 2s 2p ⁶ 3d ¹ D ₂	6.9	2.88e+03
Fe XIX *	90.8404	2s ² 2p ³ (² D) 3d ¹ G ₄ - 2s 2p ⁴ (² P) 3d ¹ F ₃	7.0	4.43e+02
Fe XIX	91.0128	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ¹ P ₁	7.0	4.98e+04
Fe XVII *	91.1447	2s ² 2p ⁵ 5s ¹ P ₁ - 2s 2p ⁶ 5s ¹ S ₀	6.9	2.63e+02
Fe XVIII *	91.1476	2s ² 2p ⁴ (¹ D) 3d ² F _{7/2} - 2s 2p ⁵ (¹ P) 3d ² F _{7/2}	6.9	2.58e+02
Ni XXII	91.2170	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² P _{3/2}	7.0	2.39e+02
Fe XXI	91.2678	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ S ₁	7.1	5.42e+04
Fe XVII	91.4029	2s ² 2p ⁵ 3d ³ D ₃ - 2s 2p ⁶ 3d ¹ D ₂	6.9	5.03e+03
Fe XVII *	91.4479	2s ² 2p ⁵ 3d ³ F ₄ - 2s 2p ⁶ 3d ³ D ₃	6.9	2.37e+03
O VII *	91.4488	1s 2s ³ S ₁ - 1s 4p ³ P ₂	6.4	2.31e+02
Fe XVII *	91.5255	2s ² 2p ⁵ 4d ³ D ₃ - 2s 2p ⁶ 4d ¹ D ₂	6.9	1.66e+02
Fe XVII *	91.5535	2s ² 2p ⁵ 3d ³ P ₂ - 2s 2p ⁶ 3d ³ D ₂	6.9	2.85e+02
Ni XXIII	91.8690	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	7.1	1.30e+04
Fe XVII *	91.9288	2s ² 2p ⁵ 3s ¹ P ₁ - 2s 2p ⁶ 3s ³ S ₁	6.9	5.47e+02
Zn XXIV	92.1610	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{3/2}	7.1	2.92e+02
Fe XVII *	92.2057	2s ² 2p ⁵ 3d ³ F ₃ - 2s 2p ⁶ 3d ³ D ₂	6.9	1.38e+03
Fe XIX *	92.3430	2s ² 2p ³ (² D) 4s ³ D ₃ - 2s 2p ⁴ (² P) 4s ³ P ₂	7.0	2.87e+02
Fe XVII *	92.5430	2s ² 2p ⁵ 3p ³ P ₂ - 2s 2p ⁶ 3p ³ P ₂	6.9	4.73e+02
Co XXII	92.5890	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ S ₁	7.1	3.19e+02
Fe XX	92.6127	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² P _{1/2}	7.0	2.46e+02
Ni XXIII	92.7160	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ P ₁	7.1	2.12e+03
Fe XVII	92.8316	2s ² 2p ⁵ 3p ³ D ₂ - 2s 2p ⁶ 3p ³ P ₁	6.9	5.41e+02
Fe XVII	92.9055	2s ² 2p ⁵ 3p ³ P ₂ - 2s 2p ⁶ 3p ¹ P ₁	6.9	1.71e+02
S XIV	93.0624	1s ² 3p ² P _{1/2} - 1s ² 4d ² D _{3/2}	7.0	3.27e+02
Fe XVII *	93.1870	2s ² 2p ⁵ 3p ¹ P ₁ - 2s 2p ⁶ 3p ³ P ₀	6.9	2.35e+02
S XIV	93.4005	1s ² 3p ² P _{3/2} - 1s ² 4d ² D _{5/2}	7.0	5.92e+02
Fe XVII *	93.5447	2s ² 2p ⁵ 3d ¹ D ₂ - 2s 2p ⁶ 3d ³ D ₁	6.9	6.24e+02
Fe XX	93.7811	2s ² 2p ³ ² D _{5/2} - 2s 2p ⁴ ² P _{3/2}	7.0	5.28e+04
Fe XVIII	93.9232	2s ² 2p ⁵ ² P _{3/2} - 2s 2p ⁶ ² S _{1/2}	6.9	2.90e+05
Fe X	94.0120	3s ² 3p ⁵ ² P _{3/2} - 3s ² 3p ⁴ (¹ D) 4s ² D _{5/2}	6.0	2.08e+02
Fe XVII *	94.0648	2s ² 2p ⁵ 3d ³ D ₃ - 2s 2p ⁶ 3d ³ D ₃	6.9	5.57e+02
Fe XVII *	94.2467	2s ² 2p ⁵ 3d ³ D ₃ - 2s 2p ⁶ 3d ³ D ₂	6.9	1.80e+02
Fe XX *	94.3601	2s ² 2p ² (³ P) 3s ⁴ P _{3/2} - 2s 2p ³ (³ S) 3s ⁴ S _{3/2}	7.0	2.64e+02
Ni XX	94.4877	2s ² 2p ⁵ ² P _{1/2} - 2s 2p ⁶ ² S _{1/2}	6.9	5.06e+03
Fe XVII	94.6361	2s ² 2p ⁵ 3d ³ D ₁ - 2s 2p ⁶ 3d ¹ D ₂	6.9	3.65e+02
Fe XX	94.6432	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² S _{1/2}	7.0	1.20e+04
Co XX	94.9300	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₁	7.0	5.65e+02
Fe XXI	94.9310	2s ² 2p ² ³ P ₁ - 2s 2p ³ ¹ D ₂	7.1	1.45e+02
Co XXIII	95.1710	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{1/2}	7.1	3.87e+03
Fe XVII	95.2625	2s ² 2p ⁵ 3s ³ P ₁ - 2s 2p ⁶ 3s ¹ S ₀	6.9	7.94e+03
S XIV	95.3863	1s ² 3d ² D _{3/2} - 1s ² 4f ² F _{5/2}	7.0	6.30e+02
Mg VI	95.4829	2s ² 2p ³ ⁴ S _{3/2} - 2s ² 2p ² (³ P) 3d ⁴ P _{5/2}	5.7	1.86e+02
S XIV	95.4884	1s ² 3d ² D _{5/2} - 1s ² 4f ² F _{7/2}	7.0	8.95e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Si XIV	95.7112	3p ² P _{3/2} - 4s ² S _{1/2}	7.2	1.65e+02
Ni XXI	95.8637	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₂	7.0	2.42e+04
Fe XX	95.9207	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ² D _{3/2}	7.0	1.68e+03
Ni XXII	95.9810	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² S _{1/2}	7.0	3.90e+02
Fe X	96.1210	3s ² 3p ⁵ ² P _{3/2} - 3s ² 3p ⁴ (³ P) 4s ² P _{3/2}	6.0	2.80e+02
Fe XVIII	96.1711	2s ² 2p ⁴ (³ P) 3s ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 3s ² P _{3/2}	6.9	1.62e+02
Mn XVIII	96.2398	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ¹ P ₁	6.9	1.68e+02
S XIV	96.3690	1s ² 3p ² P _{1/2} - 1s ² 4s ² S _{1/2}	7.0	2.84e+02
Fe XIX *	96.4886	2s ² 2p ³ (⁴ S) 4p ³ P ₂ - 2s ² 2p ³ (⁴ S) 5d ³ D ₃	7.0	1.40e+02
S XIV	96.7915	1s ² 3p ² P _{3/2} - 1s ² 4s ² S _{1/2}	7.0	5.80e+02
Ni XXI	96.8029	2s ² 2p ⁴ ³ P ₀ - 2s 2p ⁵ ³ P ₁	7.0	3.55e+03
Co XXII	96.8840	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	7.1	7.62e+02
Fe XVIII *	96.9058	2s ² 2p ⁴ (³ P) 4s ² P _{3/2} - 2s ² 2p ⁴ (³ P) 5p ² P _{3/2}	6.9	3.34e+02
Ni XXI	97.1253	2s ² 2p ⁴ ¹ S ₀ - 2s 2p ⁵ ¹ P ₁	7.0	1.51e+02
Mg VI	97.2781	2s ² 2p ³ ² D _{5/2} - 2s ² 2p ² (¹ D) 3d ² F _{7/2}	5.7	1.52e+02
Fe XVII *	97.3208	2s ² 2p ⁵ 3d ³ F ₂ - 2s 2p ⁶ 3d ¹ D ₂	6.9	1.31e+03
Zn XXV	97.4170	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ D ₁	7.1	6.91e+02
Ne VII	97.4960	2s ² ¹ S ₀ - 2s 3p ¹ P ₁	5.7	3.00e+02
Mn XX	97.5070	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ S ₁	7.0	2.23e+02
Fe XXI	97.8641	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ S ₁	7.1	1.35e+05
Fe XVII *	97.9392	2s ² 2p ⁵ 3d ³ D ₁ - 2s 2p ⁶ 3d ³ D ₁	6.9	2.03e+02
Fe XVII *	97.9394	2s ² 2p ⁵ 3d ³ D ₂ - 2s 2p ⁶ 3d ¹ D ₂	6.9	1.40e+03
Fe XX	98.0735	2s 2p ⁴ ² D _{3/2} - 2p ⁵ ² P _{1/2}	7.0	3.84e+02
Ne VIII	98.1156	1s ² 2p ² P _{1/2} - 1s ² 3d ² D _{3/2}	6.7	1.13e+03
Ni XXII	98.1810	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² D _{3/2}	7.0	2.64e+03
Ne VI	98.2570	2s ² 2p ² P _{3/2} - 2s ² 4d ² D _{5/2}	5.7	2.33e+02
Ne VIII	98.2601	1s ² 2p ² P _{3/2} - 1s ² 3d ² D _{5/2}	6.7	2.02e+03
Ne VIII	98.2746	1s ² 2p ² P _{3/2} - 1s ² 3d ² D _{3/2}	6.7	2.25e+02
Fe XX *	98.3057	2s ² 2p ² (³ P) 3s ⁴ P _{5/2} - 2s 2p ³ (³ S) 3s ⁴ S _{3/2}	7.0	5.58e+02
Fe XX	98.3552	2s ² 2p ³ ² P _{3/2} - 2s 2p ⁴ ² P _{1/2}	7.0	5.25e+03
Fe XXI	98.3931	2s ² 2p ² ¹ D ₂ - 2s 2p ³ ¹ P ₁	7.1	1.24e+04
Fe XVIII *	98.6355	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{7/2}	6.9	1.48e+03
Fe XXI	98.6693	2s 2p ³ ³ D ₃ - 2p ⁴ ¹ D ₂	7.1	1.41e+02
Fe XX *	98.6799	2s ² 2p ² (³ P) 3d ⁴ F _{9/2} - 2s 2p ³ (³ S) 3d ⁴ D _{7/2}	7.0	1.45e+02
Fe XVIII	98.7168	2s ² 2p ⁴ (³ P) 3s ² P _{3/2} - 2s 2p ⁵ (³ P) 3s ² P _{3/2}	6.9	1.48e+02
Co XIX	99.0200	2s ² 2p ⁵ ² P _{1/2} - 2s 2p ⁶ ² S _{1/2}	6.9	3.13e+02
Fe XXI	99.0216	2s ² 2p ² ³ P ₂ - 2s 2p ³ ¹ D ₂	7.1	2.87e+03
N VII	99.0928	2s ² S _{1/2} - 4p ² P _{3/2}	7.1	1.70e+02
Fe XVII	99.6054	2s ² 2p ⁵ 3d ¹ F ₃ - 2s 2p ⁶ 3d ¹ D ₂	6.9	3.82e+03
Fe XVII *	99.7380	2s ² 2p ⁵ 4s ³ P ₁ - 2s 2p ⁶ 4s ¹ S ₀	6.9	3.20e+02
Fe XVII *	99.7683	2s ² 2p ⁵ 3s ³ P ₀ - 2s 2p ⁶ 3s ³ S ₁	6.9	2.87e+02
Fe XVIII *	99.8030	2s ² 2p ⁴ (³ P) 3d ² F _{7/2} - 2s 2p ⁵ (³ P) 3d ² D _{5/2}	6.9	1.28e+03
Fe XVII *	99.8605	2s ² 2p ⁵ 3p ³ D ₁ - 2s 2p ⁶ 3p ³ P ₁	6.9	1.52e+02
Fe XVIII *	99.8662	2s ² 2p ⁴ (³ P) 3d ² F _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{7/2}	6.9	3.90e+02
Mn XVII	100.0000	2s ² 2p ⁵ ² P _{3/2} - 2s 2p ⁶ ² S _{1/2}	6.8	1.04e+03
Co XXII	100.1260	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ P ₁	7.1	1.42e+02
Ni XXII	100.1310	2s ² 2p ³ ² P _{3/2} - 2s 2p ⁴ ² P _{3/2}	7.0	1.90e+02
Fe XVII *	100.2296	2s ² 2p ⁵ 3p ³ D ₁ - 2s 2p ⁶ 3p ³ P ₀	6.9	1.64e+02
Ni XXI	100.2448	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₁	7.0	2.57e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XVII *	100.5203	2s ² 2p ⁵ 3p ³ P ₁ - 2s 2p ⁶ 3p ³ P ₂	6.9	2.54e+02
Fe XVIII *	100.6738	2s ² 2p ⁴ (³ P) 3d ⁴ D _{7/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	2.03e+02
Fe XXII	100.7747	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{3/2}	7.1	4.26e+04
Fe XVII *	100.8087	2s ² 2p ⁵ 3s ³ P ₁ - 2s 2p ⁶ 3s ³ S ₁	6.9	4.41e+02
Fe XVII *	100.8471	2s ² 2p ⁵ 3p ¹ D ₂ - 2s 2p ⁶ 3p ³ P ₂	6.9	3.95e+02
Fe XIX	101.5498	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₁	7.0	1.53e+05
Fe XVII *	101.7306	2s ² 2p ⁵ 3d ³ F ₂ - 2s 2p ⁶ 3d ³ D ₂	6.9	2.82e+02
Fe XX	101.8189	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² P _{3/2}	7.0	4.28e+03
Fe XVII *	101.8459	2s ² 2p ⁵ 3d ³ F ₂ - 2s 2p ⁶ 3d ³ D ₁	6.9	3.34e+02
Co XX	101.8810	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₂	7.0	1.67e+03
Cr XVII	101.9289	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ¹ P ₁	6.8	2.57e+02
Ni XXIV	102.1029	2s ² 2p ² P _{3/2} - 2s 2p ² ² P _{3/2}	7.1	7.90e+03
Fe XVIII *	102.1817	2s ² 2p ⁴ (³ P) 3d ⁴ D _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{5/2}	6.9	1.54e+02
Fe XVII *	102.1919	2s ² 2p ⁵ 3d ³ D ₂ - 2s 2p ⁶ 3d ³ D ₃	6.9	1.99e+02
Fe XVIII *	102.2012	2s ² 2p ⁴ (³ P) 3d ⁴ D _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{5/2}	6.9	3.04e+02
Fe XXII	102.2133	2s ² 2p ² P _{1/2} - 2s 2p ² ² S _{1/2}	7.1	4.62e+03
Fe XXI	102.2172	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	7.1	3.08e+05
O VIII	102.3478	2p ² P _{1/2} - 3d ² D _{3/2}	7.0	2.26e+03
O VIII	102.3554	2s ² S _{1/2} - 3p ² P _{3/2}	7.1	5.51e+03
O VIII	102.3921	2p ² P _{1/2} - 3s ² S _{1/2}	7.1	3.38e+03
O VIII	102.4021	2s ² S _{1/2} - 3p ² P _{1/2}	7.1	3.13e+03
Fe XVIII	102.4767	2s ² 2p ⁴ (³ P) 3s ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 3s ⁴ P _{3/2}	6.9	2.29e+02
O VIII	102.4899	2p ² P _{3/2} - 3d ² D _{5/2}	7.0	4.04e+03
O VIII	102.5055	2p ² P _{3/2} - 3d ² D _{3/2}	7.0	4.50e+02
O VIII	102.5499	2p ² P _{3/2} - 3s ² S _{1/2}	7.1	6.73e+03
Fe XVII *	102.6721	2s ² 2p ⁵ 3d ¹ F ₃ - 2s 2p ⁶ 3d ³ D ₃	6.9	4.49e+02
Fe XVII *	102.8889	2s ² 2p ⁵ 3d ¹ F ₃ - 2s 2p ⁶ 3d ³ D ₂	6.9	1.48e+02
Ne VIII	102.9107	1s ² 2p ² P _{1/2} - 1s ² 3s ² S _{1/2}	6.7	5.50e+02
Ne VIII	103.0857	1s ² 2p ² P _{3/2} - 1s ² 3s ² S _{1/2}	6.7	1.10e+03
Co XX	103.1550	2s ² 2p ⁴ ³ P ₀ - 2s 2p ⁵ ³ P ₁	7.0	2.51e+02
Ni XXIII	103.2220	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ P ₁	7.1	9.65e+03
Fe XVIII *	103.2514	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	1.17e+03
Ni XXII	103.3090	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{1/2}	7.0	1.63e+04
Fe XIX *	103.3734	2s ² 2p ³ (² P) 3d ³ F ₄ - 2s 2p ⁴ (² P) 3d ³ F ₄	7.0	1.95e+02
Mn XX	103.5370	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ S ₁	7.0	5.65e+02
Fe IX	103.5660	3s ² 3p ⁶ ¹ S ₀ - 3s ² 3p ⁵ 4s ¹ P ₁	5.9	7.63e+02
Fe XVII *	103.6509	2s ² 2p ⁵ 4s ¹ P ₁ - 2s ² 2p ⁵ 5p ¹ S ₀	6.9	3.34e+02
Ni XXIV	103.6755	2s ² 2p ² P _{3/2} - 2s 2p ² ² P _{1/2}	7.1	7.03e+02
Fe XXI	103.7596	2s 2p ³ ³ D ₁ - 2p ⁴ ³ P ₁	7.1	2.89e+02
Fe XXI	103.8331	2s 2p ³ ³ D ₂ - 2p ⁴ ³ P ₁	7.1	4.29e+02
Fe XVIII	103.9370	2s ² 2p ⁵ ² P _{1/2} - 2s 2p ⁶ ² S _{1/2}	6.9	9.52e+04
Cr XIX	104.2120	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ S ₁	6.9	4.54e+02
Fe XXI	104.2722	2s 2p ³ ³ D ₁ - 2p ⁴ ³ P ₀	7.1	1.42e+03
Fe XVIII *	104.4466	2s ² 2p ⁴ (³ P) 3d ⁴ D _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{7/2}	6.9	3.49e+02
Zn XXIV	104.5429	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{5/2}	7.1	2.86e+02
Fe XVII *	104.5584	2s ² 2p ⁵ 4s ³ P ₁ - 2s ² 2p ⁵ 5p ³ P ₀	6.9	2.31e+02
Fe XVIII *	104.6008	2s ² 2p ⁴ (³ P) 3d ² F _{7/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	6.79e+02
Fe XVIII	104.6534	2s ² 2p ⁴ (³ P) 3d ² F _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{5/2}	6.9	4.09e+02
Zn XXVII	104.6740	2s ² ¹ S ₀ - 2s 2p ¹ P ₁	7.3	1.02e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Fe XVIII *	104.8850	2s ² 2p ⁴ (³ P) 3s ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 3s ⁴ P _{5/2}	6.9	1.01e+03
Fe XVIII *	104.9055	2s ² 2p ⁴ (³ P) 3d ⁴ D _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ P _{5/2}	6.9	3.05e+02
Cr XVIII	104.9850	2s ² 2p ³ ² D _{5/2} - 2s 2p ⁴ ² P _{3/2}	6.9	1.98e+02
Fe IX	105.2080	3s ² 3p ⁶ ¹ S ₀ - 3s ² 3p ⁵ 4s ³ P ₁	5.9	4.58e+02
Fe XVII	105.3859	2s ² 2p ⁵ 3d ¹ P ₁ - 2s 2p ⁶ 3d ¹ D ₂	6.9	7.48e+02
Si XIII	105.6307	1s 3s ³ S ₁ - 1s 4p ³ P ₂	7.1	1.67e+02
Co XX	105.7210	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₁	7.0	1.88e+02
Fe XVIII	106.0280	2s ² 2p ⁴ (³ P) 3s ⁴ P _{3/2} - 2s 2p ⁵ (³ P) 3s ² P _{3/2}	6.9	2.42e+02
Ni XXII	106.0450	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{3/2}	7.0	3.16e+04
Fe XIX	106.1055	2s ² 2p ⁴ ¹ S ₀ - 2s 2p ⁵ ¹ P ₁	7.0	3.03e+03
Ne VII	106.1900	2s 2p ³ P ₂ - 2s 3d ³ D ₃	5.7	2.65e+02
Fe XVIII *	106.2074	2s ² 2p ⁴ (³ P) 3p ⁴ D _{7/2} - 2s 2p ⁵ (³ P) 3p ⁴ D _{7/2}	6.9	9.15e+02
Fe XVIII *	106.2857	2s ² 2p ⁴ (³ P) 3p ⁴ P _{3/2} - 2s 2p ⁵ (³ P) 3p ⁴ S _{3/2}	6.9	2.54e+02
Fe XIX	106.3177	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₀	7.0	4.24e+03
Fe XVIII *	106.4856	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{7/2}	6.9	2.53e+02
Fe XVIII *	106.5787	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{5/2}	6.9	3.95e+02
Cr XVI	106.6170	2s ² 2p ⁵ ² P _{3/2} - 2s 2p ⁶ ² S _{1/2}	6.7	1.53e+03
Fe XVIII *	106.6189	2s ² 2p ⁴ (³ P) 3d ⁴ D _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ P _{3/2}	6.9	1.49e+02
Fe XVIII *	106.6970	2s ² 2p ⁴ (³ P) 3p ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 3p ⁴ S _{3/2}	6.9	1.60e+02
Fe XXII	106.8397	2s 2p ² ⁴ P _{3/2} - 2p ³ ² D _{3/2}	7.1	8.36e+02
Fe XX	106.9617	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² S _{1/2}	7.0	8.78e+03
Fe XVIII *	107.6503	2s ² 2p ⁴ (³ P) 3d ⁴ F _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{7/2}	6.9	5.75e+02
Fe XVIII *	107.7455	2s ² 2p ⁴ (³ P) 3d ⁴ F _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{5/2}	6.9	4.70e+02
Fe VIII	107.8680	3p ⁶ 3d ² D _{3/2} - 3p ⁶ 5f ² F _{5/2}	5.7	1.67e+02
Mn XX	107.9030	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	7.0	1.23e+03
Co XXIII	108.0640	2s ² 2p ² P _{3/2} - 2s 2p ² ² P _{3/2}	7.1	5.36e+02
Fe VIII	108.0770	3p ⁶ 3d ² D _{5/2} - 3p ⁶ 5f ² F _{7/2}	5.7	1.75e+02
Fe XIX *	108.0894	2s ² 2p ³ (² D) 3d ³ F ₄ - 2s 2p ⁴ (² D) 3d ³ F ₄	7.0	2.72e+02
Fe XVIII *	108.1157	2s ² 2p ⁴ (³ P) 3s ² P _{3/2} - 2s 2p ⁵ (³ P) 3s ⁴ P _{5/2}	6.9	1.41e+02
Fe XXI	108.1177	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ P ₁	7.1	7.20e+04
Mn XXI	108.1510	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{3/2}	7.0	1.70e+02
Fe XIX	108.3555	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₂	7.0	4.52e+05
Fe XVIII *	108.5727	2s ² 2p ⁴ (³ P) 3d ⁴ F _{9/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{9/2}	6.9	8.71e+02
Fe XVIII *	108.6796	2s ² 2p ⁴ (³ P) 3d ² F _{7/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{7/2}	6.9	3.46e+02
Mn XVIII	108.7531	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₁	6.9	6.33e+02
Fe XX	108.8028	2s ² 2p ³ ² P _{3/2} - 2s 2p ⁴ ² P _{3/2}	7.0	4.31e+03
Ni XXIII	109.0950	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ P ₁	7.1	1.13e+03
Fe XVIII *	109.2234	2s ² 2p ⁴ (³ P) 3d ² F _{5/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	1.74e+02
Ni XXI	109.3065	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₂	7.0	5.37e+03
Mn XVII	109.3650	2s ² 2p ⁵ ² P _{1/2} - 2s 2p ⁶ ² S _{1/2}	6.8	3.66e+02
Fe XXII	109.5000	2s 2p ² ⁴ P _{5/2} - 2p ³ ² D _{5/2}	7.1	5.22e+02
Fe XX	109.6458	2s 2p ⁴ ² D _{3/2} - 2p ⁵ ² P _{3/2}	7.0	3.85e+02
Cr XIX	109.6770	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ S ₁	6.9	1.18e+03
Fe XIX *	109.7228	2s ² 2p ³ (² D) 3d ¹ G ₄ - 2s 2p ⁴ (² D) 3d ³ F ₄	7.0	1.40e+02
Mn XXI	109.7940	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{1/2}	7.0	5.97e+03
Fe XIX	109.9519	2s ² 2p ⁴ ³ P ₀ - 2s 2p ⁵ ³ P ₁	7.0	7.16e+04
Co XXII	110.0960	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ P ₁	7.1	5.67e+02
Fe XIX *	110.5222	2s ² 2p ³ (² D) 3d ³ G ₄ - 2s 2p ⁴ (² D) 3d ³ G ₄	7.0	2.85e+02
Fe XX	110.6269	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ² D _{3/2}	7.0	3.88e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Co XXI	110.7110	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{1/2}	7.0	9.46e+02
Fe XVIII *	111.0235	2s ² 2p ⁴ (³ P) 3d ² F _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{5/2}	6.9	1.59e+02
Ne VI	111.1620	2s ² 2p ² P _{3/2} - 2s 2p (³ P) 3p ² D _{5/2}	5.7	1.42e+02
Fe XVII *	111.3816	2s 2p ⁶ 4p ¹ P ₁ - 2s 2p ⁶ 5d ¹ D ₂	6.9	1.93e+02
Mg VI	111.5526	2s ² 2p ³ ⁴ S _{3/2} - 2s ² 2p ² (³ P) 3s ⁴ P _{5/2}	5.7	1.51e+02
Fe XX	111.5790	2s 2p ⁴ ² D _{5/2} - 2p ⁵ ² P _{3/2}	7.0	9.63e+02
Fe XIX	111.6947	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₁	7.0	5.50e+04
Fe XXI *	111.7054	2s ² 2p 3s ³ P ₁ - 2s 2p ² (² P) 3s ³ P ₀	7.1	1.51e+02
Fe XVII *	111.7078	2s ² 2p ⁵ 4p ³ D ₃ - 2s ² 2p ⁵ 5d ³ F ₄	6.9	1.53e+02
Ni XXIII	111.8290	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ D ₁	7.1	7.79e+04
Fe XVIII *	111.8856	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	1.42e+02
Fe XXII	112.2034	2s 2p ² ² D _{3/2} - 2p ³ ² P _{3/2}	7.1	3.79e+02
Fe XXI	112.4662	2s ² 2p ² ¹ S ₀ - 2s 2p ³ ¹ P ₁	7.1	2.83e+03
Si XIII	112.4722	1s 3p ¹ P ₁ - 1s 4s ¹ S ₀	7.1	1.49e+02
Fe XVIII *	113.1721	2s ² 2p ⁴ (³ P) 3d ⁴ F _{7/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	2.73e+02
Fe XXI	113.2913	2s ² 2p ² ¹ D ₂ - 2s 2p ³ ¹ D ₂	7.1	1.45e+04
Fe XX	113.3489	2s ² 2p ³ ² D _{5/2} - 2s 2p ⁴ ² D _{5/2}	7.0	2.36e+04
Co XXI	113.6870	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{3/2}	7.0	1.81e+03
Fe XVIII *	113.7753	2s ² 2p ⁴ (³ P) 3d ⁴ F _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ F _{5/2}	6.9	2.53e+02
Fe XVIII	113.8310	2s ² 2p ⁴ (³ P) 3d ² D _{5/2} - 2s 2p ⁵ (³ P) 3d ⁴ D _{7/2}	6.9	1.55e+02
Cr XIX	114.0100	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	6.9	2.47e+03
Fe XXII	114.4101	2s ² 2p ² P _{3/2} - 2s 2p ² ² P _{3/2}	7.1	2.65e+05
Co XX	114.4150	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₂	7.0	3.88e+02
Fe XX	114.6957	2s ² 2p ³ ² P _{3/2} - 2s 2p ⁴ ² S _{1/2}	7.0	5.86e+02
Fe XXI	114.9792	2s 2p ³ ³ D ₁ - 2p ⁴ ³ P ₂	7.1	2.45e+02
Fe XXI	115.0695	2s 2p ³ ³ D ₂ - 2p ⁴ ³ P ₂	7.1	9.70e+02
Fe XXI	115.1396	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ P ₂	7.1	6.33e+02
Fe XXII	115.1472	2s 2p ² ² D _{5/2} - 2p ³ ² P _{3/2}	7.1	1.06e+03
Cr XVI	115.3340	2s ² 2p ⁵ ² P _{1/2} - 2s 2p ⁶ ² S _{1/2}	6.7	5.48e+02
Mn XVIII	115.3653	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₂	6.9	1.95e+03
Fe XIX	115.3964	2s 2p ⁵ ¹ P ₁ - 2p ⁶ ¹ S ₀	6.9	2.71e+03
Fe XVIII *	115.6095	2s ² 2p ⁴ (³ P) 4p ⁴ D _{1/2} - 2s ² 2p ⁴ (³ P) 5s ⁴ P _{1/2}	6.9	2.16e+02
O VI	115.8217	1s ² 2s ² S _{1/2} - 1s ² 4p ² P _{3/2}	5.5	3.68e+02
O VI	115.8303	1s ² 2s ² S _{1/2} - 1s ² 4p ² P _{1/2}	5.5	1.89e+02
Fe XVIII *	115.9384	2s ² 2p ⁴ (³ P) 3d ⁴ P _{5/2} - 2s 2p ⁵ (³ P) 3d ² F _{7/2}	6.9	1.69e+02
Cr XX	116.0780	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{3/2}	7.0	4.44e+02
Fe XXII	116.2678	2s ² 2p ² P _{3/2} - 2s 2p ² ² S _{1/2}	7.1	6.55e+04
Cr XVII	116.5987	2s ² 2p ⁴ ³ P ₂ - 2s 2p ⁵ ³ P ₁	6.8	1.11e+03
Ne VII	116.6930	2s 2p ¹ P ₁ - 2s 3d ¹ D ₂	5.7	4.66e+02
Mn XX	116.7050	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ P ₁	7.0	2.95e+02
Fe XVIII *	116.7638	2s ² 2p ⁴ (³ P) 3s ⁴ P _{3/2} - 2s 2p ⁵ (³ P) 3s ⁴ P _{5/2}	6.9	2.08e+02
Fe XVIII *	116.8512	2s ² 2p ⁴ (³ P) 4p ⁴ D _{3/2} - 2s ² 2p ⁴ (³ P) 5s ⁴ P _{1/2}	6.9	3.70e+02
Fe XVIII *	116.9226	2s ² 2p ⁴ (³ P) 3p ⁴ D _{5/2} - 2s 2p ⁵ (³ P) 3p ⁴ D _{7/2}	6.9	1.64e+02
Fe XXII	117.1543	2s ² 2p ² P _{1/2} - 2s 2p ² ² P _{1/2}	7.1	1.40e+06
Mn XVIII	117.2320	2s ² 2p ⁴ ³ P ₀ - 2s 2p ⁵ ³ P ₁	6.9	3.15e+02
Fe XXII	117.4898	2s 2p ² ⁴ P _{1/2} - 2p ³ ⁴ S _{3/2}	7.1	9.39e+02
Fe XXI	117.4938	2s ² 2p ² ¹ D ₂ - 2s 2p ³ ³ S ₁	7.1	1.36e+03
Fe XXI	117.4996	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ P ₁	7.1	2.44e+05
Si V	117.8540	2p ⁶ ¹ S ₀ - 2p ⁵ 3s ¹ P ₁	5.4	2.85e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Ni XXV	117.9105	2s ² 1S ₀ - 2s 2p 1P ₁	7.1	1.50e+05
Ni XXII	117.9180	2s ² 2p ³ 4S _{3/2} - 2s 2p ⁴ 4P _{5/2}	7.0	3.67e+04
Fe XIX *	117.9434	2s ² 2p ³ (4S) 3d 5D ₄ - 2s 2p ⁴ (4P) 3d 3F ₄	7.0	1.02e+03
Cr XX	117.9580	2s ² 2p 2P _{1/2} - 2s 2p ² 2P _{1/2}	7.0	1.36e+04
Mn XVIII	118.2432	2s ² 2p ⁴ 3P ₁ - 2s 2p ⁵ 3P ₁	6.9	2.46e+02
Ni XXIV	118.4739	2s ² 2p 2P _{1/2} - 2s 2p ² 2D _{3/2}	7.1	5.44e+04
Fe XXI	118.6444	2s 2p ³ 3D ₃ - 2p ⁴ 3P ₂	7.1	2.01e+03
Fe XX	118.6801	2s ² 2p ³ 4S _{3/2} - 2s 2p ⁴ 4P _{1/2}	7.0	3.48e+05
Fe XXI	118.6972	2s ² 2p ² 3P ₁ - 2s 2p ³ 3P ₀	7.1	4.83e+03
Si V	118.9640	2p ⁶ 1S ₀ - 2p ⁵ 3s 3P ₁	5.4	1.60e+02
Si XII	119.6632	1s ² 3s 2S _{1/2} - 1s ² 4p 2P _{3/2}	7.0	3.86e+02
Si XII	119.8210	1s ² 3s 2S _{1/2} - 1s ² 4p 2P _{1/2}	7.0	2.00e+02
Co XXII	119.9400	2s ² 2p ² 3P ₀ - 2s 2p ³ 3D ₁	7.1	4.04e+03
Fe XIX	119.9836	2s ² 2p ⁴ 3P ₁ - 2s 2p ⁵ 3P ₂	7.0	1.09e+05
Fe XXII	120.0128	2s 2p ² 2D _{3/2} - 2p ³ 2P _{1/2}	7.1	4.27e+03
O VII	120.3328	1s 2s 3S ₁ - 1s 3p 3P ₁	6.4	3.01e+02
O VII	120.3328	1s 2s 3S ₁ - 1s 3p 3P ₂	6.4	7.12e+02
Ni XXI	120.3516	2s ² 2p ⁴ 1D ₂ - 2s 2p ⁵ 3P ₂	7.0	1.30e+03
Ni XXV	120.4673	2s 2p 3P ₂ - 2p ² 1D ₂	7.2	1.67e+02
Fe XIX *	120.9602	2s ² 2p ³ (4S) 3s 5S ₂ - 2s 2p ⁴ (4P) 3s 5P ₂	7.0	1.68e+02
Mn XXI	121.1790	2s ² 2p 2P _{3/2} - 2s 2p ² 2P _{3/2}	7.0	1.02e+03
Fe XXIII	121.2013	2s 2p 3P ₁ - 2p ² 1D ₂	7.1	1.16e+03
Fe XXI	121.2129	2s ² 2p ² 3P ₂ - 2s 2p ³ 3P ₂	7.1	2.89e+04
Fe XX	121.8448	2s ² 2p ³ 4S _{3/2} - 2s 2p ⁴ 4P _{3/2}	7.0	6.63e+05
Fe XX	121.9868	2s 2p ⁴ 2P _{3/2} - 2p ⁵ 2P _{1/2}	7.0	2.38e+02
Ne VI	122.4880	2s ² 2p 2P _{1/2} - 2s ² 3d 2D _{3/2}	5.7	8.80e+02
Ne VI	122.6850	2s ² 2p 2P _{3/2} - 2s ² 3d 2D _{3/2}	5.7	1.76e+02
Ne VI	122.6850	2s ² 2p 2P _{3/2} - 2s ² 3d 2D _{5/2}	5.7	1.62e+03
Cr XVII	122.9718	2s ² 2p ⁴ 3P ₂ - 2s 2p ⁵ 3P ₂	6.8	3.26e+03
Fe XXI	123.3360	2s 2p ³ 3P ₁ - 2p ⁴ 3P ₀	7.1	6.32e+02
Ni XXII	123.3850	2s ² 2p ³ 2D _{3/2} - 2s 2p ⁴ 4P _{1/2}	7.0	3.64e+02
Fe XXI	123.8312	2s ² 2p ² 3P ₂ - 2s 2p ³ 3P ₁	7.1	4.15e+04
Fe XIX *	124.3683	2s ² 2p ³ (4S) 3d 5D ₃ - 2s 2p ⁴ (4P) 3d 5F ₄	7.0	4.76e+02
Fe XIX *	124.8848	2s ² 2p ³ (4S) 3d 5D ₄ - 2s 2p ⁴ (4P) 3d 5F ₄	7.0	9.15e+02
Cr XVII	125.0637	2s ² 2p ⁴ 3P ₀ - 2s 2p ⁵ 3P ₁	6.8	5.85e+02
Co XXIV	125.1500	2s ² 1S ₀ - 2s 2p 1P ₁	7.1	8.92e+03
Co XXI	125.1610	2s ² 2p ³ 4S _{3/2} - 2s 2p ⁴ 4P _{5/2}	7.0	2.25e+03
Fe XXI	125.2995	2s 2p ³ 3P ₂ - 2p ⁴ 3P ₁	7.1	2.63e+02
Cr XVII	125.4284	2s ² 2p ⁴ 3P ₁ - 2s 2p ⁵ 3P ₁	6.8	4.62e+02
Mn XX	125.4490	2s ² 2p ² 3P ₁ - 2s 2p ³ 3P ₁	7.0	9.01e+02
Fe XXII	125.7080	2s 2p ² 4P _{3/2} - 2p ³ 4S _{3/2}	7.1	1.29e+03
Cr XIX	125.9780	2s ² 2p ² 3P ₀ - 2s 2p ³ 3P ₁	6.9	6.72e+02
Mn XVIII	126.1016	2s ² 2p ⁴ 3P ₁ - 2s 2p ⁵ 3P ₂	6.9	4.91e+02
Ni XXIV	126.2987	2s ² 2p 2P _{3/2} - 2s 2p ² 2S _{1/2}	7.1	8.27e+02
Si XII	126.4609	1s ² 3p 2P _{1/2} - 1s ² 4d 2D _{3/2}	7.0	2.29e+02
Ni XXIII	126.5920	2s ² 2p ² 3P ₁ - 2s 2p ³ 3D ₂	7.1	4.91e+02
Co XXIII	126.7840	2s ² 2p 2P _{1/2} - 2s 2p ² 2D _{3/2}	7.1	2.82e+03
Si XII	126.7960	1s ² 3p 2P _{3/2} - 1s ² 4d 2D _{5/2}	7.0	4.13e+02
Fe XXI	127.0402	2s 2p ³ 1P ₁ - 2p ⁴ 1S ₀	7.1	3.07e+02

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
Mn XIX	127.2810	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{1/2}	6.9	1.26e+03
Ni XXII	127.3070	2s ² 2p ³ ² D _{3/2} - 2s 2p ⁴ ⁴ P _{3/2}	7.0	2.96e+02
Ni XXIII	127.4790	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ D ₁	7.1	2.06e+03
Ne VII	127.6660	2s 2p ¹ P ₁ - 2s 3s ¹ S ₀	5.7	3.66e+02
Ti XVII	127.7780	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ S ₁	6.8	1.92e+02
Fe XX	127.8358	2s ² 2p ³ ² P _{1/2} - 2s 2p ⁴ ² D _{3/2}	7.0	2.36e+03
Fe XIX *	127.8367	2s ² 2p ³ (⁴ S) 3p ⁵ P ₃ - 2s 2p ⁴ (⁴ P) 3p ⁵ D ₄	7.0	1.37e+03
Fe XIX	128.4062	2s ² 2p ³ (⁴ S) 3d ³ D ₃ - 2s 2p ⁴ (⁴ P) 3d ³ F ₄	7.0	1.10e+03
Fe XVII *	128.4225	2s 2p ⁶ 4p ¹ P ₁ - 2s 2p ⁶ 5s ¹ S ₀	6.9	2.24e+02
Cr XX	128.4420	2s ² 2p ² P _{3/2} - 2s 2p ² ² P _{3/2}	7.0	2.59e+03
Fe XIX *	128.6563	2s ² 2p ³ (⁴ S) 3s ⁵ S ₂ - 2s 2p ⁴ (⁴ P) 3s ⁵ P ₃	7.0	7.34e+02
Fe XXI	128.7526	2s ² 2p ² ³ P ₀ - 2s 2p ³ ³ D ₁	7.1	1.41e+06
Ni XXV	128.8476	2s 2p ³ P ₀ - 2p ² ³ P ₁	7.1	2.85e+02
Fe XXII	129.1843	2s 2p ² ² P _{1/2} - 2p ³ ² P _{3/2}	7.1	2.48e+02
O VI	129.7852	1s ² 2p ² P _{1/2} - 1s ² 4d ² D _{3/2}	5.5	2.02e+02
O VI	129.8714	1s ² 2p ² P _{3/2} - 1s ² 4d ² D _{5/2}	5.5	3.64e+02
Si XII	129.8906	1s ² 3d ² D _{3/2} - 1s ² 4f ² F _{5/2}	7.0	4.15e+02
Si XII	129.9801	1s ² 3d ² D _{5/2} - 1s ² 4f ² F _{7/2}	7.0	5.90e+02
Fe XIX *	130.0111	2s ² 2p ³ (⁴ S) 3p ⁵ P ₂ - 2s 2p ⁴ (⁴ P) 3p ⁵ P ₃	7.0	2.43e+02
Fe XIX *	130.0791	2s ² 2p ³ (⁴ S) 3d ⁵ D ₄ - 2s 2p ⁴ (⁴ P) 3d ⁵ F ₅	7.0	9.58e+02
Ne VI	130.2630	2s 2p ² ² D _{5/2} - 2s 2p (³ P) 3d ² F _{7/2}	5.7	1.50e+02
Fe XVII *	130.4307	2s ² 2p ⁵ 4d ³ D ₁ - 2s ² 2p ⁵ ⁵ f ¹ D ₂	6.9	1.59e+02
Mn XIX	130.5780	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{3/2}	6.9	2.41e+03
Fe VIII	130.9410	3p ⁶ 3d ² D _{3/2} - 3p ⁶ 4f ² F _{5/2}	5.7	6.92e+02
Ni XXV	130.9928	2s 2p ¹ P ₁ - 2p ² ¹ S ₀	7.2	2.20e+02
Fe VIII	131.2400	3p ⁶ 3d ² D _{5/2} - 3p ⁶ 4f ² F _{7/2}	5.7	1.07e+03
Si XII	131.5515	1s ² 3p ² P _{1/2} - 1s ² 4s ² S _{1/2}	7.0	2.02e+02
Fe XX	131.6887	2s 2p ⁴ ² S _{1/2} - 2p ⁵ ² P _{3/2}	7.0	1.71e+02
Mn XX	131.9160	2s ² 2p ² ³ P ₂ - 2s 2p ³ ³ P ₁	7.0	2.10e+02
Si XII	131.9664	1s ² 3p ² P _{3/2} - 1s ² 4s ² S _{1/2}	7.0	4.10e+02
O VI	132.3124	1s ² 2p ² P _{3/2} - 1s ² 4s ² S _{1/2}	5.5	1.65e+02
Fe XIX	132.6196	2s ² 2p ⁴ ¹ D ₂ - 2s 2p ⁵ ³ P ₂	7.0	2.02e+04
Fe XIX *	132.6452	2s ² 2p ³ (⁴ S) 3d ⁵ D ₁ - 2s 2p ⁴ (⁴ P) 3d ⁵ D ₂	7.0	1.84e+02
Cr XVII	132.8339	2s ² 2p ⁴ ³ P ₁ - 2s 2p ⁵ ³ P ₂	6.8	8.50e+02
Fe XX	132.8405	2s ² 2p ³ ⁴ S _{3/2} - 2s 2p ⁴ ⁴ P _{5/2}	7.0	8.64e+05
O VII	132.8749	1s 2p ³ P ₂ - 1s 3s ³ S ₁	6.4	2.17e+02
Fe XXIII	132.9065	2s ² ¹ S ₀ - 2s 2p ¹ P ₁	7.1	3.57e+06
N VII	133.7406	2s ² S _{1/2} - 3p ² P _{3/2}	7.1	3.65e+02
Fe XIX *	133.7547	2s ² 2p ³ (⁴ S) 3d ⁵ D ₃ - 2s 2p ⁴ (⁴ P) 3d ⁵ D ₃	7.0	2.40e+02
N VII	133.7767	2p ² P _{1/2} - 3s ² S _{1/2}	7.0	2.06e+02
N VII	133.7872	2s ² S _{1/2} - 3p ² P _{1/2}	7.1	2.10e+02
Fe XIX *	133.8400	2s ² 2p ³ (⁴ S) 3d ⁵ D ₂ - 2s 2p ⁴ (⁴ P) 3d ⁵ D ₃	7.0	2.81e+02
Fe XIX *	133.8513	2s ² 2p ³ (⁴ S) 3d ⁵ D ₃ - 2s 2p ⁴ (⁴ P) 3d ⁵ D ₄	7.0	3.20e+02
N VII	133.8745	2p ² P _{3/2} - 3d ² D _{5/2}	7.0	2.39e+02
N VII	133.9344	2p ² P _{3/2} - 3s ² S _{1/2}	7.0	4.10e+02
Cr XIX	134.0520	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ P ₁	6.9	1.80e+03
Fe XIX *	134.4498	2s ² 2p ³ (⁴ S) 3d ⁵ D ₄ - 2s 2p ⁴ (⁴ P) 3d ⁵ D ₄	7.0	4.02e+02
Co XXII	134.5350	2s ² 2p ² ³ P ₁ - 2s 2p ³ ³ D ₁	7.1	1.68e+02
Fe XXII	134.6925	2s 2p ² ⁴ P _{5/2} - 2p ³ ⁴ S _{3/2}	7.1	1.55e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T _{max}	Int
C VI	134.9125	2s $^2S_{1/2}$ - 4p $^2P_{3/2}$	7.1	2.67e+02
C VI	134.9233	2s $^2S_{1/2}$ - 4p $^2P_{1/2}$	7.1	1.55e+02
C VI	134.9906	2p $^2P_{3/2}$ - 4d $^2D_{5/2}$	7.1	1.51e+02
C VI	135.0044	2p $^2P_{3/2}$ - 4s $^2S_{1/2}$	7.1	1.63e+02
Fe XXII	135.7912	2s ² 2p $^2P_{1/2}$ - 2s 2p ² $^2D_{3/2}$	7.1	1.19e+06
Ni XXV	135.9470	2s 2p 3P_1 - 2p ² 3P_1	7.1	1.66e+02
Fe XXII	135.9966	2s ² 2p $^2P_{3/2}$ - 2s 2p ² $^2P_{1/2}$	7.1	2.12e+03
Fe XX	136.0521	2s ² 2p ³ $^2P_{3/2}$ - 2s 2p ⁴ $^2D_{5/2}$	7.0	3.59e+03
Ne VI	136.3480	2s 2p ² $^4P_{5/2}$ - 2s 2p (3P) 3s $^4P_{5/2}$	5.7	2.01e+02
Fe XXIII	136.5317	2s 2p 3P_2 - 2p ² 1D_2	7.1	1.04e+04
Ni XXIII	136.5570	2s ² 2p ² 3P_2 - 2s 2p ³ 3D_1	7.1	6.80e+02
Cr XVIII	136.5950	2s ² 2p ³ $^4S_{3/2}$ - 2s 2p ⁴ $^4P_{1/2}$	6.9	2.33e+03
Ca XV	137.1954	2s ² 2p ² 3P_0 - 2s 2p ³ 3S_1	6.6	2.39e+02
Fe XIX *	137.4878	2s ² 2p ³ (4S) 3d 3D_3 - 2s 2p ⁴ (4P) 3d 5F_4	7.0	1.48e+02
O VII	137.5104	1s 2p 1P_1 - 1s 3s 1S_0	6.8	4.67e+02
Fe XXI	138.1342	2s ² 2p ² 1S_0 - 2s 2p ³ 3S_1	7.1	2.28e+03
Mn XX	138.2780	2s ² 2p ² 3P_0 - 2s 2p ³ 3D_1	7.0	5.10e+03
Ne VI	138.3870	2s ² 2p $^2P_{1/2}$ - 2s ² 3s $^2S_{1/2}$	5.7	2.13e+02
Fe XX	138.4789	2s 2p ⁴ $^2P_{1/2}$ - 2p ⁵ $^2P_{1/2}$	7.0	1.85e+02
Fe XXI	138.6025	2s 2p ³ 3P_1 - 2p ⁴ 3P_2	7.1	2.20e+02
Ne VI	138.6380	2s ² 2p $^2P_{3/2}$ - 2s ² 3s $^2S_{1/2}$	5.7	4.28e+02
Ni XXIV	138.7288	2s ² 2p $^2P_{3/2}$ - 2s 2p ² $^2D_{5/2}$	7.1	6.98e+02
Fe XX	139.0411	2s ² 2p ³ $^2P_{3/2}$ - 2s 2p ⁴ $^2D_{3/2}$	7.0	4.40e+02
Fe XXII	139.6465	2s 2p ² $^2P_{1/2}$ - 2p ³ $^2P_{1/2}$	7.1	3.47e+02
Cr XVIII	139.9680	2s ² 2p ³ $^4S_{3/2}$ - 2s 2p ⁴ $^4P_{3/2}$	6.9	4.46e+03
Ti XV	140.3969	2s ² 2p ⁴ 3P_2 - 2s 2p ⁵ 3P_2	6.7	1.85e+02
Fe XX	140.4209	2s 2p ⁴ $^2P_{3/2}$ - 2p ⁵ $^2P_{3/2}$	7.0	5.40e+02
Cr XIX	140.5810	2s ² 2p ² 3P_2 - 2s 2p ³ 3P_1	6.9	5.19e+02
Ca XV	140.5812	2s ² 2p ² 3P_1 - 2s 2p ³ 3S_1	6.6	6.80e+02
Mn XIX	141.0310	2s ² 2p ³ $^4S_{3/2}$ - 2s 2p ⁴ $^4P_{5/2}$	6.9	3.28e+03
Ca XII	141.0380	2s ² 2p ⁵ $^2P_{3/2}$ - 2s 2p ⁶ $^2S_{1/2}$	6.3	3.14e+02
Mn XXII	141.0900	2s ² 1S_0 - 2s 2p 1P_1	7.1	1.86e+04
Mn XXI	141.5760	2s ² 2p $^2P_{3/2}$ - 2s 2p ² $^2S_{1/2}$	7.0	2.66e+02
Fe XXI	142.0366	2s 2p ³ 3P_2 - 2p ⁴ 3P_2	7.1	2.10e+02
Fe XX	142.0429	2s ² 2p ³ $^2D_{3/2}$ - 2s 2p ⁴ $^4P_{1/2}$	7.0	4.11e+03
Fe XXI	142.1436	2s ² 2p ² 3P_1 - 2s 2p ³ 3D_2	7.1	3.70e+04
Fe XXI	142.2815	2s ² 2p ² 3P_1 - 2s 2p ³ 3D_1	7.1	8.79e+04
Zn XXVIII	142.4662	1s ² 2s $^2S_{1/2}$ - 1s ² 2p $^2P_{3/2}$	7.4	6.80e+02
Ne V	142.7240	2s ² 2p ² 3P_2 - 2s ² 2p 3d 3P_2	5.5	4.74e+02
Mg V	142.9350	2s ² 2p ⁴ 1D_2 - 2s ² 2p ³ (2D) 3s 1D_2	5.5	1.65e+02
Ne V	143.2190	2s ² 2p ² 3P_0 - 2s ² 2p 3d 3D_1	5.5	2.69e+02
Fe XVII *	143.2516	2s ² 2p ⁵ 4d 3D_1 - 2s ² 2p ⁵ 5p 1S_0	6.9	2.58e+02
Ne V	143.2730	2s ² 2p ² 3P_1 - 2s ² 2p 3d 3D_2	5.5	6.05e+02
Ne V	143.3040	2s ² 2p ² 3P_1 - 2s ² 2p 3d 3D_1	5.5	1.54e+02
Fe XXI	143.3087	2s ² 2p ² 1D_2 - 2s 2p ³ 3P_2	7.1	1.91e+02
Ne V	143.3440	2s ² 2p ² 3P_2 - 2s ² 2p 3d 3D_3	5.5	1.01e+03
Fe XVII *	143.7126	2s ² 2p ⁵ 4d 1P_1 - 2s ² 2p ⁵ 5p 3P_0	6.9	1.92e+02
Ca XV	144.3062	2s ² 2p ² 3P_2 - 2s 2p ³ 3S_1	6.6	1.25e+03
Fe XXIII	144.3890	2s 2p 3P_1 - 2p ² 3P_2	7.1	7.14e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ti XVIII	144.7550	$2s^2 2p^2 P_{3/2} - 2s 2p^2 P_{3/2}$	6.8	2.99e+02
Ni XXII	144.8100	$2s^2 2p^3 D_{3/2} - 2s 2p^4 P_{5/2}$	7.0	2.56e+03
Fe XXII	144.9125	$2s 2p^2 D_{3/2} - 2p^3 D_{5/2}$	7.1	7.13e+02
Fe XXI	144.9717	$2s 2p^3 D_2 - 2p^4 D_2$	7.1	5.77e+02
Mn XXI	145.4590	$2s^2 2p^2 P_{1/2} - 2s 2p^2 D_{3/2}$	7.0	4.24e+03
Fe XXI	145.7335	$2s^2 2p^2 P_{2} - 2s 2p^3 D_3$	7.1	1.64e+04
Fe XX	146.6001	$2s^2 2p^3 D_{3/2} - 2s 2p^4 P_{3/2}$	7.0	2.64e+03
Fe XXI	146.9831	$2s^2 2p^2 D_2 - 2s 2p^3 P_1$	7.1	3.28e+03
Ne V	147.1320	$2s^2 2p^2 D_2 - 2s^2 2p 3d F_3$	5.5	8.65e+02
Fe XXIII	147.2540	$2s 2p^3 P_0 - 2p^2 P_1$	7.1	1.23e+04
Ne VI	147.5930	$2s 2p^2 D_{5/2} - 2s 2p (3P) 3s^2 P_{3/2}$	5.7	3.31e+02
Ti XVIII	147.5960	$2s^2 2p^2 P_{3/2} - 2s 2p^2 P_{1/2}$	6.8	1.59e+02
Cr XX	147.6800	$2s^2 2p^2 P_{3/2} - 2s 2p^2 S_{1/2}$	7.0	8.36e+02
Ne VI	147.7660	$2s 2p^2 D_{3/2} - 2s 2p (3P) 3s^2 P_{1/2}$	5.7	1.80e+02
Ti XVIII	148.4550	$2s^2 2p^2 P_{1/2} - 2s 2p^2 S_{1/2}$	6.8	1.12e+03
Cr XIX	148.6620	$2s^2 2p^2 P_0 - 2s 2p^3 D_1$	6.9	9.10e+03
Fe XXIII	149.2117	$2s 2p^1 P_1 - 2p^2 S_0$	7.1	1.24e+04
Cr XVIII	149.8280	$2s^2 2p^3 S_{3/2} - 2s 2p^4 P_{5/2}$	6.9	6.29e+03
Fe XXII	149.8606	$2s 2p^2 D_{5/2} - 2p^3 D_{5/2}$	7.1	2.53e+03
Cr XXI	149.9010	$2s^2 S_0 - 2s 2p^1 P_1$	7.0	4.31e+04